

Contents of Amazoniana Volumes 1 (1965) - 19 (2007)

Part A: Chronological order

Amazoniana 1(1), 1965

BATISTA, D. DA C. & H. SIOLI: Introduction. [in Portuguese]	5-6
BATISTA, D. DA C. & H. SIOLI: Introduction. [in German]	7-9
SIOLI, H.: The limnology and its importance in Amazonian research. [in Portuguese]	11-35
OCHS, G.: Fourth contribution to the knowledge of the whirligig beetles of the Amazon region (Col., Gyrinidae). [in German]	36-73
SIOLI, H.: Remark on the typology of Amazonian rivers. [in German]	74-83
LINDNER, E.: Stratiomyiids from the Amazon region. [in German]	84-86

Amazoniana 1(2), 1967

MARLIER, G.: Ecological studies on some lakes of the Amazon valley	91-115
GEISLER, R.: On the limnochemistry of the Igarapé Préto. [in German]	117-123
CERQUEIRA, N.L. & J.A. NUNES DE MELLO: Simuliidae of Amazonia II. Description of <i>Simulium goeldii</i> sp.n. (Diptera, Nematocera). [in Portuguese]	125-130
KIEFER, F.: Two new <i>Parastenocaris</i> -species (Copepoda, Harpacticoida) from the Middle Amazon region. [in German]	131-134
OCHS, G.: Fifth contribution to the knowledge of the whirligig beetles of the Amazon region (Col., Gyrinidae). [in German]	135-171
WIEBACH, F.: Amazonian bryozoans (Bryozoa) I. [in German]	173-187
DE CARLO, J.A.: A new species of the genus <i>Ranatra</i> and new species of Naucoridae (Hemiptera). [in Spanish]	189-200

Amazoniana 1(3), 1968

CERQUEIRA, N.L. & J.A. NUNES DE MELLO: Simuliidae of Amazonia IV. Description of <i>Simulium fulvinotum</i> sp.n. (Diptera, Nematocera). [in Portuguese]	205-210
SATTLER, W.: Further notes on the eco-ethology of a Neotropical <i>Macronema</i> -larva (Hydropsychidae, Trichoptera). [in German]	211-229
KNÖPPEL, H.-A., JUNK, W.J. & J. GÉRY: <i>Bryconops (Creatochanes) inpai</i> , a new characoid fish from the Central Amazon Region, with a review of the genus <i>Bryconops</i>	231-246
BECK, L.: On the biology of some arachnids in the tropical forest of the Reserva Ducke (INPA, Manaus, Brazil). [in Portuguese]	247-250
SCHUBART, H.: New Palaeacaroidea (Oribatei) from Amazonia (Arach., Acari). [in German]	251-256

KIEFER, F.: Two further <i>Parastenocaris</i> -species (Copepoda, Harpacticoida) from the Middle Amazon region. [in German]	257-258
FITTKAU, E.J.: <i>Siolimyia amazonica</i> n.gen. n.spec., a chironomid capable of flight (Diptera) with a hypopygium inversum. [in German]	259-265
SIOLI, H.: Hydrochemistry and geology in the Brazilian Amazon region	267-277

Amazoniana 1(4), 1968

SIOLI, H. (1968): Dr. Werner Sattler in Memoriam	283-286
KLINGE, H. & W.A. RODRIGUES: Litter production in an area of Amazonian terra firme forest. Part I. Litter-fall, organic carbon and total nitrogen contents of litter.	287-301
KLINGE, H. & W.A. RODRIGUES: Litter production in an area of Amazonian terra firme forest. Part II. Mineral nutrient content of the litter.	303-310
SCHUBART, H. & L. BECK: On the fauna of coleopterans from Amazonian soils. [in German]	311-321
SCHMIDT, G.W.: On the problem of determination of the carbon dioxide in tropical waters poor in calcium. [in German]	323-326
FITTKAU, E.J.: A new Tanypodinae-genus, <i>Djalmabatista</i> (Chironomidae, Dipt.), from the Brazilian Amazon region. [in German]	327-349
SCHWABE, G.H.: Two remarkable nostocaceans from South America. [in German]	351-368

Amazoniana 2(1/2), 1969

FÖRSTER, K.: Amazonian desmids. 1st part: Area Santarém. [in German]	5-232
--	-------

Amazoniana 2(3), 1970

BRINKMANN, W.L.F. & A.N. VIEIRA: Some remarks on UV-radiation at "Reserva Florestal Ducke" forest pilot scheme near Manaus, Amazon	235-243
EDWARDS, A.M.C. & J.B. THORNES: Observations on the dissolved solids of the Casiquiare and Upper Orinoco, April - June, 1968	245-256
KNÖPPEL, H.-A.: Food of Central Amazonian fishes. Contribution to the nutrient-ecology of Amazonian rain-forest-streams	257-351
WIEBACH, F.: Amazonian bryozoans (Bryozoa) II. [in German]	353-362
SCHWABE, G.H.: Two remarkable nostocaceans from South America II. [in German]	363-390

Amazoniana 2(4), 1970

SCHMIDT, G.W.: Numbers of bacteria and algae and their interrelations in some Amazonian waters	393-400
STERN, K.M.: The Casiquiare-channel, now and once. [in German]	401-416
GÉRY, J.: The genus <i>Iguanodectes</i> COPE (Pisces, Characoidae). [in French]	417-433
VOLKMER-RIBEIRO, C.: <i>Oncosclera</i> - a new genus of freshwater sponges (Porifera - Spongillidae) with redescription of two species	435-442
BRINKMANN, W.L.F. & A. DOS SANTOS: Natural waters in Amazonia. III. Ammonium molybdate-reactive silica.	443-448

JUNK, W.J.: Investigations on the ecology and production-biology of the "floating meadows" (Paspalo-Echinochloetum) on the Middle Amazon. Part I: The floating vegetation and its ecology	449-495
ANONYMOUS: Symposium proceedings on environment in Amazonia. Part I	497-501

Amazoniana 3(1), 1971

FLINT, O.S. Jr.: Studies of Neotropical caddisflies, XII: Rhyacophilidae, Glossosomatidae, Philopotamidae, and Psychomyiidae from the Amazon Basin (Trichoptera)	7-67
BECK, L.: Zoological soil classification and characterization of the Amazonian rain forest. [in German]	69-132

Amazoniana 3(2), 1972

SIOLI, H.: Dr. José Cândido de Melo Carvalho, new co-editor of AMAZONIANA. [in Portuguese]	133-134
SIOLI, H.: Dr. José Cândido de Melo Carvalho, new co-editor of AMAZONIANA. [in German]	135-136
SCHADEN, R. & H. SIOLI: Professor Dr. Heitor Grillo in memoriam. [in Portuguese]	137-138
SCHADEN, R. & H. SIOLI: Professor Dr. Heitor Grillo in memoriam. [in German]	139-140
ALTHERR, E.: Contribution to the knowledge of nematodes of the Amazon estuary. [in French]	141-174
ANONYMOUS: The ion load of the Rio Negro, Amazon state, Brazil, according to investigations of Dr. Harald Ungemach. [in German]	175-185
ANONYMOUS: Rainwater analyses from Central Amazonia, carried out in Manaus, Amazon, Brazil, by Dr. Harald Ungemach. [in German]	186-198
SCHMIDT, G.W.: Chemical properties of some waters in the tropical rain-forest region of Central-Amazonia along the new road Manaus - Caracarai	199-207
SCHMIDT, G.W.: Amounts of suspended solids and dissolved substances in the middle reaches of the Amazon over the course of one year (August, 1969 - July, 1970)	208-223
BONETTO, A.: A new species of Monocondylaeinae from the Amazon basin, and some considerations on this subfamily in the hydrographic systems of South America	224-230
KNÖPPEL, H.-A.: On nutrition of tropical fresh-water fishes from South America. - Some selected species of the Anostomidae, Curimatidae, Hemiodidae and Characidae (Pisces, Characoidei). [in German]	231-257

Amazoniana 3(3/4), 1972

KOSTE, W.: Rotatorians from Amazonian waters. [in German]	258-505
---	---------

Amazoniana 4(1), 1973

LEENTVAAR, P.: Further developments in Lake Brokopondo, Surinam	1-8
JUNK, W.J.: Investigations on the ecology and production-biology of the "floating meadows" (Paspalo-Echinochloetum) on the Middle Amazon. Part II. The aquatic fauna in the root zone of floating vegetation	9-102

Amazoniana 4(2), 1973

SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. I. Introduction	135-138
SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. II. The limnology of a tropical flood-plain lake in Central Amazonia (Lago do Castanho)	139-203
BRANDORFF, G.-O.: New free living calanoid copepods (Crustacea) from the Amazon region. [in German]	205-218
IRMLER, U.: Population-dynamic and physiological adaptation of <i>Pentacomia egregia</i> CHAUD. (Col., Cicindelidae) to the Amazonian inundation forest	219-227

Amazoniana 4(3), 1973

MÜLLER, P.: Historic-biogeographical problems of the species richness of South American rain forests. [in German]	229-242
SCHMIDT, G.W. & G. UHERKOVICH: On the species richness of the phytoplankton in Amazonia. [in German]	243-252
SCHADEN, R.: Short note on the species number of Rotatoria in the Amazon region. [in German]	253-254
NOODT, W.: Species richness and MONARD's principle in Crustacea of the limnopsammon in the Neotropics. [in German]	255-261
JUNK, W.J.: Faunistic-ecological studies as possibility for the definition of biotopes, exemplified for floodplains. [in German]	263-271
SCHREIBER, H.: Radiation centers of sphingids (Lepidoptera) in the Neotropics. [in German]	273-281
KLINGE, H.: Structure and species richness of the Central Amazonian rain forest. [in German]	283-292
BRÜNIG, E.F.: Species richness and stand diversity in relation to site and succession of forests in Sarawak and Brunei (Borneo)	293-320
FITTKAU, E.J.: Species richness of Amazonian biotopes from the ecological point of view. [in German]	321-340

Amazoniana 4(4), 1973

BRANDORFF, G.-O.: The Neotropical genus <i>Rhacodiaptomus</i> KIEFER (Crustacea, Copepoda), with description of two new species. [in German]	341-365
REISS, F.: On hydrography and macrobenthos fauna of tropical lagoons in the savanna of the Território de Roraima, Northern Brazil. [in German]	367-378
SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. III. Primary productivity of phytoplankton in a tropical flood-plain lake of Central Amazonia, Lago do Castanho, Amazonas, Brasil	379-404
WIRTH, W.W. & F.S. BLANTON: A review of the maruins or biting midges of the genus <i>Culicoides</i> (Diptera: Ceratopogonidae) in the Amazon Basin	405-470

Amazoniana 5(1), 1974

MÜLLER, P.: Josef Schmidthüsen to his 65th birthday. [in German]	1-2
REISS, F.: Four new <i>Chironomus</i> -species (Chironomidae, Diptera) and their ecological importance for the benthos fauna of Central Amazonian lakes and inundation forests. [in German]	3-23
KOSTE, W.: To the knowledge of the rotatorian fauna of the "floating meadows" of a shore lagoon in the várzea of Amazonia, Brazil. [in German]	25-59
VIETS, K.O.: On some water mites (Hydrachnellae, Acari) from Brazil. [in German]	61-65
HOWARD-WILLIAMS, C.: Nutritional quality and calorific value of Amazonian forest litter	67-75
FITTKAU, E.J.: On the ecological classification of Amazonia. 1. The geological development of Amazonia. [in German]	77-134

Amazoniana 5(2), 1974

FÖRSTER, K.: Amazonian desmids. 2nd part: Area Maués - Abacaxis. [in German]	135-242
UHERKOVICH, G. & G.W. SCHMIDT: Phytoplankton taxa in the Central Amazonian alluvial lake Lago do Castanho. [in German]	243-283
VOLKMER-RIBEIRO, C. & R. DE ROSA-BARBOSA: A freshwater sponge-mollusk association in Amazonian waters	285-291
WIEBACH, F.: Amazonian bryozoans (Bryozoa) III. [in German]	293-303

Amazoniana 5(3), 1975

VIETS, K.O.: <i>Koenikea</i> -species (Acari, Hydrachnellae) from the Amazon region. [in German]	305-336
IRMLER, U.: Ecological studies of the aquatic soil invertebrates in three inundation forests of Central Amazonia	337-409
PUTHZ, V.: A new caenid genus from the Amazon region (Insecta: Ephemeroptera: Caenidae). [in German]	411-415

Amazoniana 5(4), 1976

TUXEN, S.L.: The Protura (Insecta) of Brazil, especially Amazonas	417-463
UHERKOVICH, G.: Algae from the rivers Rio Negro and Rio Tapajós. [in German]	465-515
SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. IV. On the primary productivity of phytoplankton in a bay of the lower Rio Negro (Amazonas, Brazil)	517-528
BUDOWSKI, G.: Why save tropical rain forests? Some arguments for campaigning conservationists	529-538
MÜLLER, P.: On the diversity and biomass of the reptile fauna in the Central Amazonian rain forest near Manaus. [in German]	539-543

Amazoniana 6(1), 1976

BECK, L.: On the mass migration of the macro-arthropod fauna of the soil in inundation forests of the Central Amazon region. [in German]	1-20
---	------

FRÄNZLE, O.: The water conservation of the Amazonian rain forest and its influence by man. [in German]	21-46
GEISLER, R. & J. SCHNEIDER: The element matrix of Amazon waters and its relationship with the mineral content of fishes. (Determinations using Neutron Activation Analysis)	47-65
IRION, G.: The development of the Central and Upper Amazonian lowland during the late Pleistocene and the Holocene. [in German]	67-79
KOEPCKE, H.-W.: Peruvian natural landscapes as centers of evolution. [in German]	81-85
KOHLHEPP, G.: State and problems of the Brazilian development planning in Amazonia. [in German]	89-104
MÜLLER, P. & G. WEIMER: Notes on the distribution centers of South American callithyids and cichlids. [in German]	105-121
REISS, F.: Characterization of Central Amazonian lakes on account of their macrobenthos fauna. [in German]	123-134
ZIECHMANN, W.: Humic substances in South American river systems. [in German]	135-144

Amazoniana 6(2), 1977

ALTHERR, E.: Contribution to the knowledge of nematodes of the Amazon estuary (2nd part). [in French]	145-159
HAFFER, J.: Pleistocene speciation in Amazonian birds	161-191
KLINGE, H.: Preliminary data on nutrient release from decomposing leaf litter in a Neotropical rain forest	193-202
REISS, F.: Qualitative and quantitative investigations on the macro-benthic fauna of Central Amazon lakes. 1. Lago Tupé, a black water lake on the lower Rio Negro	203-235
SATTLER, W. & J. SYKORA: On a strange Neotropical caddisfly, particularly due to its construction instinct - <i>Leucotrichia brasiliiana</i> n.sp. (Trichoptera, Hydroptilidae). [in German]	237-255
SCHADEN, R.: On the cyclomorphosis of some brachionids (Rotatoria) of Central Amazonia. [in German]	257-266
SCHADEN, R.: Seasonal changes in the composition of the rotatorian stock of Lago de Castanho, Central Amazonia. [in German]	267-273

Amazoniana 6(3), 1978

BRÜNIG, E.F.: Variation of the structure in the rain forest of San Carlos de Rio Negro. [in German]	275-277
FRÄNZLE, O.: The structure and carrying capacity of ecosystems. [in German]	279-297
HEUVELDOP, J.: First results of meteorological investigations in the rain forest stands of San Carlos de Rio Negro. [in German]	299-300
IRMLER, U.: The structure of the carabid- and staphylinid-community in Central Amazonian inundation forests. [in German]	301-326
KLINGE, H.: The phytomass of dominant tree species in an Amazonian caatinga. [in German]	327-328
NAGEL, P. & A. SCHÄFER: The biotic diversity as factor for the system analysis. [in German]	329-345
SCHADEN, R.: On the diversity and identity of Amazonian Rotatoria zooms. [in German]	347-371
FLINT, O.S. Jr.: Studies of Neotropical caddisflies. XXII: Hydropsychidae of the Amazon Basin (Trichoptera)	373-421

Amazoniana 6(4), 1979

- ALDER, D., BRÜNING, E.F., HEUVELDOP, J. & J. SMITH: Structure and functions in the rain forest of the international Amazon-ecosystem-project: Preliminary communication about the classification of stands, variation of stand structure and precipitation characteristics. [in German] 423-444
- BITTNER, A.: Serumsmolality and hematocryal value of Amazonian fresh-water rays (Potamotrygonidae) during adaptation to salt-water. [in German] 445-449
- FASSBENDER, H.W.: On the question of the water supply of *Pinus caribaea*-plantations in eastern Venezuela. [in German] 451-457
- FRANKEN, W.: Studies in the catchment area of the Central Amazonian rain forest stream "Barro Branco" on the "terra firme". I. Discharge behavior of the stream. [in German] 459-466
- GÉRY, J.: The Serrasalmidae (Pisces, Characoidei) from the Serra do Roncador, Mato Grosso, Brasil 467-495
- IRMLER, U. & K. FURCH: Production, energy, and nutrient turnover of the cockroach *Epilampra irmieri* ROCHA e SILVA & AGUIAR in a Central-Amazonian inundation forest. 497-520
- LEENTVAAR, P.: Additions and corrections to the Brokopondo study (Surinam). 521-528
- MÜLLER, P.: Space linkage and genesis of Southern Brazilian area systems. [in German] 529-535
- MÜLLER, P.: The evolution of the *Liolaemus wiegmannii*-complex and the dispersal centres in Brazil 537-555
- NORTCLIFF, S., THORNES, J.B. & M.J. WAYLEN: Tropical forest systems: A hydrological approach 557-568
- PAOLINI, J.: Humic substances-system in the caatinga amazonica near San Carlos de Rio Negro, Venezuela. [in German] 569-582
- RAI, H.: Microbiology of Central Amazon lakes. 583-599
- SCHWAAR, J.: The vegetation of the high peat bogs of Terra del Fuego. [in German] 601-609
- UHERKOVITCH, G. & H. RAI: Algae from the Rio Negro and its affluents. [in German] 611-638
- VOLKMER-RIBEIRO, C.: Evolutionary study of genus *Metania* GRAY, 1867 (Porifera - Spongillidae) 1. The new species 639-649

Amazoniana 7(1), 1980

- FRANKEN, W.: Studies in the catchment area of the Central Amazonian rain forest stream "Barro Branco" on the "terra firme". II. Discharge of the stream. [in German] 1-5
- HEUVELDOP, J.: Bioclimate of San Carlos de Rio Negro, Venezuela. [in German] 7-17
- JUNK, W.J.: The importance of water-level fluctuations for the ecology of floodplain regions, exemplified for the várzea of the Middle Amazon. [in German] 19-29
- MÜLLER, P., NAGEL, P. & W. FLACKE: Ecological influence of tsetse fly control with dieldrin in the upland of Adamaua (Cameroun). [in German] 31-48
- UHERKOVICH, G. & M. FRANKEN: Periphytic algae from Central Amazonian rain forest streams. [in German] 49-79
- BUCK, W.R. & R.A. PURSELL: *Fissidens brachypus*: A moss restricted to a freshwater Amazonian sponge 81-85

Amazoniana 7(2), 1981

- ADIS, J.: Comparative ecological studies of the terrestrial arthropod fauna in Central Amazonian inundation-forests 87-173

PUTHZ, V.: On new and known <i>Stenus</i> -species from Brazil (Coleoptera: Staphylinidae). 185.	
Contribution to the knowledge of Steninae. [in German]	175-189
UHERKOVICH, G.: Algae from some Amazonian waters. [in German]	191-219

Amazoniana 7(3), 1982

BOURRELLY, P. & A. COUTÉ: Some fresh-water algae of French Guiana. [in French]	221-292
PY-DANIEL, V.: Neotropical Prosimuliini (Diptera: Simuliidae). [in Portuguese]	293-333
SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. V. Some investigations on the phytoplankton and its primary productivity in the clear water of the lower Rio Tapajós (Pará, Brazil)	335-348
YANO, O.: Occurrence of <i>Leucophanes</i> (Leucobryaceae, Bryopsida) in Brazilian Amazonia. [in Portuguese]	349-354

Amazoniana 7(4), 1983

BRAUM, E.: Observations on a reversible lip extension and its role during emergency respiration of <i>Brycon</i> spec. (Pisces, Characidae) and <i>Colossoma macropomum</i> (Pisces, Serrasalmidae). [in German]	355-374
DORN, E.: On the respiration organs of some air breathing Amazonian fishes. [in German]	375-395
JUNK, W.J., SOARES, G.M. & F.M. CARVALHO: Distribution of fish species in a lake of the Amazon river floodplain near Manaus (Lago Camaleão), with special reference to extreme oxygen conditions	397-431
SAINT-PAUL, U.: Investigations on the respiration of the Neotropical fish, <i>Colossoma macropomum</i> (Serrasalmidae). The influence of weight and temperature on the routine oxygen consumption	433-443
WERDER, U.: Age determination by scale analysis in juvenile matrinchã (<i>Brycon cf. melanopterus</i> MÜLLER & TROSCHEL, Teleostei: Characoidei) a tropical characin from the Central Amazon	445-464
WORTHMANN, H.O.: A comparative study of the growth of the postlarval and juvenile pescadas <i>Plagioscion squamosissimus</i> (HECKEL) and <i>Plagioscion monti</i> (SOARES) in a white water lake of the Central Amazon	465-477

Amazoniana 8(1), 1983

IRION, G., ADIS, J., JUNK, W.J. & F. WUNDERLICH: Sedimentological studies of the "Ilha de Marchantaria" in the Solimões/Amazon River near Manaus	1-18
KLINGE, H., FURCH, K., HARMS, E. & J. REVILLA: Foliar nutrient levels of native tree species from Central Amazonia. I. Inundation forests	19-45
WORBES, M.: Studies on the vegetation of two inundation forests in Central Amazonia - preliminary results. [in German]	47-65
FURCH, B. & P. ZIMMERMANN: Soluble pigments from the roots of the Amazonian water-hyacinth <i>Eichhornia crassipes</i> SOLMS. [in German]	67-73
FURCH, K., JUNK, W.J., DIETERICH, J. & N. KOCHERT: Seasonal variation in the major cation (Na, K, Mg, and Ca) content of the water of Lago Camaleão, an Amazonian floodplain- lake near Manaus, Brazil	75-89
BECK, L.: Soil zoology of the Amazonian inundation forests. [in German]	91-99

FRIEBE, B. & J. ADIS: Developmental cycles of Opiliones (Arachnida) in the blackwater inundation forest (igapó) of the Rio Tarumá Mirim (Central Amazonia, Brazil). [in German]	101-110
HANAGARTH, W.: Floodplains in the Peruvian Amazon region as faunal sources for agrarian areas. [in German]	111-128
STURM, H.: The soil fauna of the Andean Páramo region. [in German]	129-147
DEIMEL, C.: Plant use and diet of the Tarahumaras in the Northwest Mexican upland. [in German]	149-158

Amazoniana 8(2), 1983

PY-DANIEL, V.: Description of two new Neotropical subgenera of Simuliidae (Diptera: Culicomorpha). [in Portuguese]	159-223
KOSTE, W. & B. ROBERTSON: Taxonomic studies of the Rotifera (Phylum Aschelminthes) from a Central Amazonian várzea lake, Lago Camaleão (Ilha de Marchantaria, Rio Solimões, Amazonas, Brazil)	225-254
VOLKMER-RIBEIRO, C. & S. BECKER MACIEL: New freshwater sponges from Amazonian waters	255-264
BRAUM, E.: The status of <i>Brycon labiatus</i> STEINDACHNER 1880 (Pisces, Characoidei) and its synonym, <i>Othonophanes labiatus</i> (STEINDACHNER 1880)	265-271
THATCHER, V.E. & W.A. BOEGER: The parasitic crustaceans of fishes from the Brazilian Amazon. 10 - <i>Acusicola pellonidis</i> n.sp. (Copepoda: Cyclopidae) from <i>Pellona castelnaeana</i> (VALENCIENNES)	273-279
PETRERE, M. Jr.: Relationships among catches, fishing effort and river morphology for eight rivers in Amazonas State (Brazil), during 1976-1978	281-296

Amazoniana 8(3), 1984

SCHELLER, U. & J. ADIS: A new species of <i>Ribautiella</i> (Myriapoda, Symphyla, Scolopendrellidae) from an Amazonian black-water inundation forest and notes on its natural history and ecology	299-310
SINGER, R.: Adaptation of higher fungi to várzea conditions	311-319
THATCHER, V.E., BOEGER, W.A. & B.A. ROBERTSON: The parasitic crustaceans of fishes from the Brazilian Amazon. 12. <i>Ergasilus hydrolicus</i> n.sp. (Copepoda: Poecilostomatoida) from <i>Hydrolycus scomberoides</i> (CUVIER)	321-326
CARVALHO, F.M. & E.K. DE RESENDE: Aspects of the biology of <i>Tocantinsia depressa</i> (Siluriformes, Auchenipteridae). [in Portuguese]	327-337
POLHEMUS, J.T. & D.A. POLHEMUS: Studies on Neotropical Veliidae (Hemiptera). VII. Descriptions of four new species of <i>Paravelia</i> BREDDIN	339-349
FERREIRA, E.J.G.: The fish fauna of Curuá-Una reservoir, Santarém, Pará. I - List and distribution of species. [in Portuguese]	351-363
GRABERT, H.: Possible migration and phylogeny of the South-American Iniidae (Cetacea, Mammalia). [in German]	365-374
MAURIÈS, J.-P.: First records of stemmiulides from Brazil: Three new species from the Manaus region, including one from the inundation forest (<i>Prostemmiulus adisi</i> n.sp.) (Myriapoda: Diplopoda: Stemmiulida). [in French]	375-387
DUSSART, B. & B. ROBERTSON: <i>Notodiaptomus paraensis</i> n.sp., a new diaptomid (Crustacea, Copepoda) from the Brazilian Amazon	389-394

WERDER, U. & G.M. SOARES: Age determination by sclerite numbers, and scale variations in six fish species from the Central Amazon (Osteichthyes, Characoidei)	395-420
THATCHER, V.E. & W.A. BOEGER: The parasitic crustaceans of fishes from the Brazilian Amazon. 13. <i>Gamidactylus jaraquensis</i> gen. et sp. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Semaprochilodus insignis</i> (SCHOMBURGK)	421-426
PETRERE, M. Jr.: Erratum AMAZONIANA 8(2), 281-296, 1983; Relationships among catches, fishing effort and river morphology for eight rivers in Amazonas State (Brazil), during 1976-1978	427
WERDER, U.: Erratum AMAZONIANA 7(4), 445-464, 1983; Age determination by scale analysis in juvenile Matrinchã (<i>Brycon cf. melanopterus</i> MÜLLER & TROSCHEL, Teleostei: Characoidei) a tropical characin from the Central Amazon	427

Amazoniana 8(4), 1984

BERKENKAMP, H.O.: A new species of <i>Rivulus</i> from the state Sta. Catarina/Brazil, <i>Rivulus haraldsioli</i> spec. nov. (Pisces - Rivulidae). [in German]	429-439
DE CASTRO, A.L.: A new species of <i>Prosekia</i> (Philosciidae, Isopoda) from an inundation forest (igapó) in the Central Amazon. [in Portuguese]	441-445
STURM, H. & J. ADIS: Development and mating behaviour of Meinertellidae (Machiloidea, Archaeognatha, Insecta) from the Central Amazon. [in German]	447-473
BÖTTGER, K.: Some ecological observations on necton and benthon of Guatemalan mountain streams (Central America), with special reference to the temporary Rio Cuxjá. [in German]	475-496
POLHEMUS, J.T. & D.A. POLHEMUS: Notes on Neotropical Veliidae (Hemiptera). IX: additional new species of <i>Paravelia</i> from South America	497-504
THATCHER, V.E. & W.A. BOEGER: The parasitic crustaceans of fishes from the Brazilian Amazon. 14. <i>Gamispinus diabolicus</i> gen. et spec. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Ageneiosus brevifilis</i> VALENCIENNES	505-510
ERWIN, T.L.: Small terrestrial ground-beetles of the Amazon Basin (Coleoptera: Bembidiini: Tachyina and Anillina)	511-518
CARVALHO, J.C.M.: On a new species of intertidal water strider from Brazil (Hemiptera, Gerromorpha, Mesoveliidae)	519-523
CARVALHO, F.M.: Biological and ecophysiological aspects of <i>Curimata (Potamorhina)</i> <i>pristigaster</i> , a Neotropical characine. [in Portuguese]	525-539
VOLKMER-RIBEIRO, C.: Evolutionary study of the genus <i>Metania</i> GRAY, 1867 (Porifera: Spongillidae): II. Redescription of two Neotropical species	541-553
KOSTE, W., ROBERTSON, B. & E. HARDY: Further taxonomical studies of the Rotifera from Lago Camaleão, a Central Amazonian várzea lake (Ilha de Marchantaria, Rio Solimões, Amazonas, Brazil)	555-576

Amazoniana 9(1), 1984

FERREIRA, E.J.G.: The fish fauna of Curuá-Una reservoir, Santarém, Pará. II - Food and feeding habits of the main species. [in Portuguese]	1-16
KOSTE, W. & E.R. HARDY: Taxonomic studies and new distribution records of Rotifera (Phylum Aschelminthes) from Rio Jatapú and Uatumã, Amazonas, Brazil	17-29
MEES, G.F.: A note on the genus <i>Tocantinsia</i> (Pisces, Nematognathi, Auchenipteridae)	31-34

SCHMIDT, J.: Heavy metal analysis in <i>Hemidactylus mabouia</i> (Geckonidae) as a method to classify urban environmental quality. [in German]	35-42
HARDY, E.R., ROBERTSON, B. & W. KOSTE: About the relationship between the zooplankton and fluctuating water levels of Lago Camaleão, a Central Amazonian várzea lake	43-52
GEISLER, R. & S.R. ANNIBAL: Ecology and conditions of breeding of the cardinal-tetra <i>Paracheirodon axelrodi</i> (Pisces, Characoidea) in the area of the Rio Negro/Brazil. [in German]	53-86
SCHWARZBOLD, A. & A. SCHÄFER: Origin and morphology of the coastal lagoons of Rio Grande do Sul - Brazil. [in Portuguese]	87-104
KLINGE, H., FURCH, K. & E. HARMS: Selected bioelements in bark and wood of native tree species from Central-Amazonian inundation forests	105-117
THATCHER, V.E. & W.A. BOEGER: The parasitic crustaceans from the Brazilian Amazon. 15. <i>Gamispatulus schizodontis</i> gen. et sp. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Schizodon fasciatus</i> AGASSIZ	119-126
CHOMENKO, L. & A. SCHÄFER: Biogeographical interpretation of the distribution of <i>Littoridina</i> (Hydrobiidae), in coastal lakes of Rio Grande do Sul, Brazil. [in Portuguese]	127-146
SAINT-PAUL, U.: Investigations on the seasonal changes in the chemical composition of liver and condition from a Neotropical characoid fish <i>Colossoma macropomum</i> (Serrasalmidae)	147-158

Amazoniana 9(2), 1985

TEIXEIRA, A.S. & A. JAMIESON: Genetic variation in plasma transferrins of tambaqui, <i>Colossoma macropomum</i> (CUVIER 1818)	159-168
THATCHER, V.E. & V. PAREDES: A parasitic copepod, <i>Perulernaea gamitanae</i> gen. et sp. nov. (Cyclopoida: Lernaeidae), from the nasal fossae of a Peruvian Amazon food fish	169-175
RAPP PY-DANIEL, L.H.: <i>Dekeyseria amazonica</i> , new genus and new species from the Amazonian region, Brazil, and <i>D. scaphirhyncha</i> (KNER, 1854) new combination (Loricariidae: Siluriformes). [in Portuguese]	177-191
MAGNUSSON, W.E.: Habitat selection, parasites and injuries in Amazonian crocodilians	193-204
THATCHER, V.E. & V. PAREDES: A parasitic copepod, <i>Amplexibranchius bryconis</i> gen. et sp. nov. (Ergasilidae: Acusicolinae), from an Amazonian fish and remarks on the importance of leg morphology in this subfamily	205-214
MAHNERT, V.: Further records of pseudoscorpions (Arachnida) from the Central Amazon region (Brazil). [in German]	215-241
HOFFMAN, R.L.: A new millipede of the genus <i>Gonographis</i> from an inundation forest near Manaus, Brazil (Pyrgodesmidae)	243-246
MAGALHÃES, C.: The larval development of palaemonids from the Amazon Region reared in the laboratory. I. <i>Macrobrachium amazonicum</i> (HELLER, 1862) (Crustacea, Decapoda). [in Portuguese]	247-274
DUSSART, B.H.: Another new diaptomid (Crustacea, Copepoda) from the Brazilian Amazon .	275-280

Amazoniana 9(3), 1985

ANONYMOUS: Prof. Dr. Harald Sioli to his 75th birthday. [in German, Portuguese, English]	i-iii
--	-------

KLINGE, H.: Foliar nutrient levels of native tree species from Central Amazonia.	
2. Campina	281-295
ADIS, J. & V. MAHNERT: On the natural history and ecology of Pseudoscorpiones	
(Arachnida) from an Amazonian blackwater inundation forest	297-314
JUNK, W.J.: Temporary fat storage, an adaptation of some fish species to the waterlevel	
fluctuations and related environmental changes of the Amazon river	315-351
BRAUM, E. & R. BOCK: Form and function of barbels in <i>Osteoglossum bicirrhosum</i>	
(Pisces Osteoglossidae) during aquatic surface respiration. [in German]	353-370
FURCH, K.: Hydrogeochemistry of freshwaters crossed by the Transamazon highway,	
Northern Brazil. [in German]	371-409
FURCH, B., CORRÊA, A.F.F., NUNES DE MELLO, J.A.S. & K.-R. OTTO: Light regimes	
in three aquatic ecosystems of different physico-chemical properties. 1. Attenuation,	
irradiance reflectance and comparison between downwelling, upwelling and scalar	
irradiances (PAR). [in German]	411-430
IRMLER, U.: Temperature dependant generationcycle for the cicindelid beetle <i>Pentacomia</i>	
<i>egregia</i> CHAUD. (Coleoptera, Carabidae, Cicindelinae) of the Amazon valley	431-439
OHLY, J.J.: Aspects of the recent development of the water buffalo husbandry in the Central	
Amazon region. [in German]	441-457
WORBES, M.: Structural and other adaptation to long-term flooding by trees in Central	
Amazonia	459-484

Amazoniana 9(4), 1986

MALTA, J.C.O. & E.N.S. SILVA: <i>Argulus amazonicus</i> n.sp., a crustacean parasite of fishes	
from the Brazilian Amazon (Branchiura: Argulidae). [in Portuguese]	485-492
VOLKMER-RIBEIRO, C.: Evolutionary study of the freshwater sponge genus <i>Metania</i> GRAY,	
1867: III. Metaniidae, new family	493-509
SOARES, M.G.M., ALMEIDA, R.G. & W.J. JUNK: The trophic status of the fish fauna	
in Lago Camaleão, a macrophyte dominated floodplain lake in the middle Amazon	511-526
PETRERE, M. Jr.: Amazon fisheries I - Variations in the relative abundance of tambaqui	
(<i>Colossoma macropomum</i> CUVIER, 1818) based on catch and effort data of the gill-net	
fisheries	527-547
LOURENÇO, W.R. & O.F. FRANCKE: A new species of <i>Chactopsis</i> from Brazil	
(Scorpiones, Chactidae)	549-558
LOURENÇO, W.R.: Diversity of the scorpion fauna from Amazonia; centres of endemism;	
new support for the theory of Pleistocene forest refuges. [in French]	559-580
MOUND, L.A. & J.M. PALMER: Patterns of speciation in Neotropical spore-feeding thrips of	
the genus <i>Zeugmatothrips</i> (Insecta, Thysanoptera, Phlaeothripidae)	581-594
CARVALHO, J.L. DE & B. DE MERONA: Studies on two migratory fish from lower	
Tocantins River before closure of Tucurui dam. [in Portuguese]	595-607
MAGALHÃES, C.: A taxonomic revision of the Brazilian freshwater crabs of the family	
Pseudothelphusidae (Crustacea, Decapoda. [in Portuguese]	609-636
BICUDO, C.E. DE M.: <i>Ichthyocercus manauensis</i> , a new desmid (Zygnemaphyceae)	
from Northern Brazil	637-640

Amazoniana 10(1), 1986

- PETRERE, M. Jr.: Amazon fisheries II - Variations in the relative abundance of tucunaré (*Cichla ocellaris*, *C. temensis*) based on catch and effort data of the trident fisheries 1-13
RAFAEL, J.A.: *Amazunculus*, a new genus of pipunculid from the Amazon basin (Diptera, Pipunculidae) 15-19
MAHNERT, V., ADIS, J. & P.F. BÜHRNHEIM: Key to the families of Amazonian Pseudoscorpiones (Arachnida). [in English, German and Portuguese] 21-40
MALTA, J.C. DE O. & A. VARELLA: *Ergasilus holobryconis* sp.n., a crustacean parasite of *Holobrycon pesu* (MÜLLER & TROSCHELL), a fish from the Brazilian Amazon (Copepoda: Poecilostomatida: Ergasilidae). [in Portuguese] 41-48
THATCHER, V.E.: The parasitic crustaceans of fishes from the Brazilian Amazon, 16. *Amazonicopeus elongatus* gen. et sp. nov. (Copepoda: Poecilostomatoida) with the proposal of Amazonicopeidae fam. nov. and remarks on its pathogenicity 49-56
REHFELDT, G.: Distribution and behaviour of libellulid dragonflies (Odonata: Libellulidae) during the dry season in Panamanian tropical forests. [in German] 57-62
MAGALHÃES, C.: The larval development of palaemonid shrimps from the Amazon Region reared in the laboratory. IV. Abbreviated development of *Palaemonetes ivonicus* 63-78
HOLTHUIS, 1950 (Crustacea: Decapoda) 79-111
SEIDENSCHWARZ, F.: Comparison of riverside herb communities with weed vegetation in the tropical lowlands of Peru. [in German] 127-136
WALKER, I.: Experiments on colonization of small water bodies by Culicidae and Chironomidae as a function of decomposing plant substrates and their implications for natural Amazonian ecosystems 137-147
MAGALHÃES, C.: The larval development of palaemonid shrimps from the Amazon Region reared in the laboratory. IV. Abbreviated development of *Palaemonetes ivonicus* 149-161
SCHLÜTER, U.-B. & B. FURCH: Ecological and physiological investigations on *Eichhornia crassipes* (MART.) SOLMS. 1. The effect of different environmental conditions on the development of root colour 163-171
MATTERN, T. & B. FURCH: Ecological and physiological investigations on *Eichhornia crassipes* (MART.) SOLMS. II. Studies of root structure and the dependence of pigment deposition on the age and physiological state of the roots 173-180
SANTOS, G.M. DOS & M. JÉGU: New occurrences for *Gnathodolus bidens* and *Synaptolaemus cingulatus* and descriptions of two new species of *Sartor* (Characiformes, Anostomidae). [in Portuguese] 181-196
ADIS, J. & H. STURM: On the natural history and ecology of Meinertillidae (Archaeognatha, Insecta) from dryland and inundation forests of Central Amazonia 197-218
NOLTE, U.: *Campsurus notatus* (Polymitarcidae, Ephemeroptera) a bioturbator in várzea lakes 219-222
TURNER, P.N.: *Keratella* rotifers found in Brazil, and a survey of *Keratella* rotifers from the Neotropics 223-236
JUNK, W.J.: LOWE-McCONNELL, R.H.: Ecological studies in tropical fish communities. - Book review. [in German] 237

Amazoniana 10(3), 1988

- THATCHER, V.E.: *Asotana magnifica* n.sp. (Isopoda, Cymothoidae) an unusual parasite (commensal?) of the buccal cavities of piranhas (*Serrasalmus* sp.) from Roraima, Brazil 239-248
- FERRAZ, E. & V.E. THATCHER: *Bacudacnitis grandistomis* gen. et sp. nov. (Nematoda: Cucullanidae) an intestinal parasite of the catfish, *Pseudodoras niger* (VALENCIENNES) of the Brazilian Amazon. [in Portuguese] 249-253
- THATCHER, V.E. & M.L. CARVALHO: *Artystone minima* n.sp. (Isopoda, Cymothoidae) a body cavity parasite of the pencil fish (*Nannostomus beckfordi* GUENTHER) from the Brazilian Amazon 255-265
- MAGALHÃES, C., MALTA, J.C. DE O., ROBERTSON, B. & A. VARELLA: A catalogue of type specimens of Crustacea in the Invertebrate Collection of the Instituto Nacional de Pesquisas da Amazônia, Manaus, Brazil, up to January, 1988 267-282
- VALDIVIA VILLAR, R.S.: Checklist of freshwater Cladocera from Perú. [in Spanish] 283-297
- OLIVEIRA, E.P. DE & J.-M. THIBAUD: A new genus of Hypogastruridae (Insecta: Collembola) in Amazonia. [in French] 299-302
- KOSTE, W.: On the rotifers of some standing waters near the Biological Station Panguana in the tropical rain forest of Peru. [in German] 303-325
- LOURENÇO, W.R.: Synopsis of the scorpion fauna of the Manaus region, Amazonas State, Brazil, with description of two new species. [in French] 327-337
- FERREIRA, E., SANTOS, G.M. DOS & M. JÉGU: Ecological aspects of the fish fauna of the Mucajá River, in the Paredão Island region, Roraima, Brazil. [in Portuguese] 339-352

Amazoniana 10(4), 1989

- ADIS, J.: Illustrated key for Neotropical Myriapoda (Arthropoda). [in German and Portuguese] 353-360
- PAIVA, M.P. & F.H. NEPOMUCENO: On the reproduction in captivity of the oscar, *Astronotus ocellatus* (CUVIER), according to the mating methods (Pisces - Cichlidae) 361-377
- MAGALHÃES, C.: The larval development of palaemonid shrimps from the Amazon region reared in the laboratory. VI. Abbreviated development of *Macrobrachium nattereri* (HELLER, 1862) (Crustacea: Decapoda) 379-392
- RIGHI, G.: Three Oligochaeta, Glossoscolecidae from Amazonia. [in Portuguese] 393-399
- RAFAEL, J.A.: Description of two new species of *Eudorylas* ACZÉL (Diptera: Pipunculidae) of inundation forest and terra firme near Manaus, Amazonas, Brazil. [in Portuguese] 401-405
- KOSTE, W. & K. BÖTTGER: Rotifers from Ecuadorian waters. [in German] 407-438
- VALDIVIA VILLAR, R.S. & L. BURGER: Description of *Daphniopsis marahuensis* sp. nov. (Cladocera: Daphniidae) from Perú, with the inclusion of a key of the species of the genus. [in Spanish] 439-452
- FRIEBE, B.: AMAZONIANA - Contents of volumes I-X 453-485
- JUNK, W.J.: ENGELS, W. (ed.) 1987: The tropics as biotope - Book review. [in German] 487

Amazoniana 11(1), 1989

- SIOLI, H.: Dr. Hans KLINGE on his 60th birthday. [in German, Portuguese, English] i-vi
- KUBITZKI, K.: Amazon lowland and Guayana highland - Historical and ecological aspects of the development of their floras. [in German] 1-12

MEDINA, E., DELGADO, M. & V. GARCIA: Cation accumulation and leaf succulence in <i>Cadonanthe macradenia</i> J.D. SMITH (Gesneriaceae) under field conditions	13-22
ADIS, J. & G. RIGHI: Mass migration and life cycle adaptation - a survival strategy of terrestrial earthworms in Central Amazonian inundation forests	23-30
IRMLER, U.: Population-ecology and migration of <i>Dero multibranchiata</i> STIEREN, 1892 (Naididae, Oligochaeta) in the Central Amazon inundation forest	31-52
JEDICKE, A., FURCH, B., SAINT-PAUL, U. & U.-B. SCHLÜTER: Increase in the oxygen concentration in Amazon waters resulting from the root exudation of two notorious water plants, <i>Eichhornia crassipes</i> (Pontederiaceae) and <i>Pistia stratiotes</i> (Araceae)	53-69
MÜLLER, P.: Biomonitoring of chemicals on tropical ecosystems	71-89
FURCH, K., JUNK, W.J. & Z.E.S. CAMPOS: Nutrient dynamics of decomposing leaves from Amazonian floodplain forest species in water	91-116
STEFFAN, A.W.: Announcement - Publications on tropical entomology	117

Amazoniana 11(2), 1990

LOURENÇO, W.R. & E. FLOREZ: Scorpions (Chelicerata) from Colombia. III. The scorpion fauna of pacific region (Choco), with some biogeographic considerations	119-133
FERRAZ, E. & V.E. THATCHER: <i>Camallanus acaudatus</i> sp.n. (Nematoda, Camallanidae) and a description of the male of <i>Camallanus tridentatus</i> (DRASCHE, 1984), parasites of fishes of the Brazilian Amazon. [in Portuguese]	135-145
MANSUR, M.C.D. & M.G.O. DA SILVA: Compared morphology and microanatomy of <i>Bartlettia stefanensis</i> (MORICAND, 1856) with <i>Anodontites tenebricosus</i> (LEA, 1834) (Bivalvia, Unionoida, Muteloidea). [in Portuguese]	147-166
WOLF, A.: Observations on the vegetation of some shallow lakes near the mouth of the Rio Ypané, Paraguay. [in German]	167-184
KOSTE, W. & B. ROBERTSON: Taxonomic studies of the Rotifera from shallow waters on the Island of Maracá, Roraima, Brazil	185-200
HERO, J.-M.: An illustrated key to tadpoles occurring in the Central Amazon rainforest, Manaus, Amazonas, Brasil	201-262

Amazoniana 11(3/4), 1991

THATCHER, V.E.: Amazon fish parasites	263-571
---	---------

Amazoniana 12(1), 1992

FERRAZ, E. & V.E. THATCHER: <i>Paracamallanus amazonensis</i> sp.n. (Nematoda: Camallanidae) a parasite of the catfish, <i>Hypophthalmus edentatus</i> (Pisces: Hypophthalmidae) of the Brazilian Amazon. [in Portuguese]	1-6
VOLKMER-RIBEIRO, C. & P.R.C. COSTA: On <i>Metania spinata</i> (CARTER, 1881) and <i>Metania kiliani</i> n.sp.: Porifera, Metaniidae VOLKMER-RIBEIRO, 1986	7-16
WORTHMANN, H.O.: Aspects of the reproduction of two sciaenid species, the pescadas <i>Plagioscion squamosissimus</i> HECKEL 1864 and <i>Plagioscion monti</i> (SOARES 1979), Pisces, in different water types of the Central Amazon. [in German]	17-28
RÖMBKE, J. & M. VERHAAGH: About earthworm communities in a rain forest and an adjacent pasture in Peru	29-49

SCHLÜTER, U.-B. & B. FURCH: Morphological, anatomical, and physiological investigations on the tolerance to flooding by the tree <i>Macrolobium acaciaefolium</i> , characteristic of the white- and blackwater inundation forest near Manaus, Amazonas. [in German]	51-69
FERNANDES-CORRÊA, A.F. & B. FURCH: Investigations on the tolerance of several trees to submergence in blackwater (igapó) and whitewater (várzea) inundation forests near Manaus, Central Amazonia	71-84
MANSUR, M.C.D. & R.M. VALER: Bivalve molluscs from Rio Uraricoera and Rio Branco, Roraima, Brazil. [in Portuguese]	85-100
BEGOSSI, A. & F.M. DE SOUZA BRAGA: Food taboos and folk medicine among fishermen from the Tocantins River (Brazil)	101-118
WUNDERLE, I.: Arboricolous and edaphic Oribatei (Acari) in the lowland rain forest of Panguana, Peru. [in German]	119-142

Amazoniana 12(2), 1992

WALKER, I.: The benthic litter habitat with its sediments load in the inundation forest of the Central Amazonian blackwater river Tarumá Mirim	143-153
HARDY, E.R.: Changes in species composition of Cladocera and food availability in a floodplain lake, Lago Jacaretinga, Central Amazon	155-168
SCHELLER, U.: A study of Neotropical Symphyla (Myriapoda): list of species, keys to genera and description of two new Amazonian species	169-180
AGUIAR, N.O., VICENTE DA SILVA, J. & P.F. BÜHRNHEIM: <i>Dolichowithius mediofasciatus</i> MAHNERT, 1979 (Arachnida, Pseudoscorpiones, Withiidae) phoretic on Platypodidae (Insecta, Coleoptera), in the Amazon State, Brazil. [in Portuguese]	181-185
AGUIAR, N.O. & P.F. BÜHRNHEIM: Pseudoscorpiones (Arachnida) in phoretic association with Passalidae (Insecta, Coleoptera) in the Amazon State, Brazil. [in Portuguese]	187-205
GOLOVATCH, S.I.: Review of the Neotropical fauna of the millipede family Fuhrmannodesmidae, with the description of four new species from near Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida)	207-226
GOLOVATCH, S.I.: Review of the Neotropical millipede genus <i>Onciurosoma</i> SILVESTRI, 1932, with the description of three new species from near Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida, Paradoxosomatidae)	227-237
BOZELLI, R.L.: Composition of the zooplankton community of Batata and Mussurá Lakes and of the Trombetas River, State of Pará, Brazil	239-261
KOSTE, W. & K. BÖTTGER: Rotifers from Ecuadorian waters II. [in German]	263-303
MERELES, F., DEGEN, R. & N. LOPEZ DE KOCHALCA: Humide areas in Paraguay: description of vegetation. [in Spanish]	305-316
VOLKMER-RIBEIRO, C.: The freshwater sponges in some peat-bog ponds in Brazil	317-335
VIEIRA, M.F. & J. ADIS: Abundance and biomass of <i>Paulinia acuminata</i> (DE GEER, 1773) (Orthoptera: Pauliniidae) in a várzea lake of Central Amazonia. [in Portuguese]	337-352

Amazoniana 12(3/4), 1993

MÉRONA, B. DE: Ecological conditions of the production in a floodplain island of Central Amazonia: A multidisciplinary project. [in French]	353-363
RIBEIRO, J.S.B. & A.J. DARWICH: Phytoplanktonic primary production of a fluvial island lake in the Central Amazon (Lago do Rei, Ilha do Careiro). [in Portuguese]	365-383

MOREIRA, L.C. & O. ODINETZ COLLART: Diel vertical migration of the prawn larvae of <i>Macrobrachium amazonicum</i> (HELLER, 1862) in a Central Amazonian floodplain lake, Careiro Island, Brazil. [in Portuguese]	385-398
ODINETZ COLLART, O. & L.C. MOREIRA: Fishery potential of <i>Macrobrachium amazonicum</i> in Central Amazonia (Careiro Island): abundance and size variation. [in Portuguese]	399-413
MÉRONA, B. DE & M.M. BITTENCOURT: Fish communities of the "Lago do Rei", a floodplain lake in the Central Amazon: a general description. [in French]	415-441
MÉRONA, B. DE & M.M. BITTENCOURT: Factors and constraints of the commercial fishing activity in the Central Amazon: a case study of a floodplain lake (The "Lago do Rei", Amazon, Brazil). [in Portuguese]	443-465
JUNK, W.J. & M.T.F. PIEDADE: Herbaceous plants of the Amazon floodplain near Manaus: Species diversity and adaptations to the flood pulse	467-484
ALFAIA, S.S. & N.P. FALÇÃO: Study of nutrient dynamics in floodplain soils of the Careiro Island - Central Amazonia. [in Portuguese]	485-493
OLIVEIRA, E.P. DE: Influence of different cropping systems on the density of terrestrial invertebrates in várzea soil of Central Amazonia. [in Portuguese]	495-508
GRENAND, F. & P. GRENAND: Historical stages of the várzea settlements in the Amazon. [in Portuguese]	509-526
GUILLAUMET, J.-L., LOURD, M., BAHRI, S. & A.A. DOS SANTOS: Agricultural systems on Careiro Island. [in Portuguese]	527-550
BAHRI, S.: Agroforestry systems on Careiro Island. [in French]	551-563
LOURD, M.: The main pathogens of cultivated plants on Careiro Island. [in Portuguese]	565-576

Amazoniana 13(1/2), 1994

BECK, L.: Obituary (Dr. Bernd Fribe 1952-1994). [in German]	1-2
BOEGER, R.T.: Morpho-anatomical adaptation of <i>Polygonum spectabile</i> MART. (Polygonaceae) to the flooding in the Amazonian várzea. [in Portuguese]	3-11
BOEGER, W.A. & E. BELMONT-JÉGU: Neotropical Monogenoidea. 21. <i>Trinigyrus mourei</i> sp.n. (Dactylogyridae) from the gills of the Amazonian catfish <i>Hypostomus marginatus</i> (Loricariidae)	13-16
BOZELLI, R.L.: Zooplankton community density in relation to water level fluctuations and inorganic turbidity in an Amazonian lake, "Lago Batata", State of Pará, Brazil	17-32
ESTEVES, F. DE A., THOMAZ, S.M. & F. ROLAND: Comparison of the metabolism of two floodplain lakes of the Trombetas River (Pará, Brazil) based on a study of diel variation	33-46
BARTHLOTT, W., RIEDE, K. & M. WOLTER: Mimicry and ultrastructural analogy between the semi-aquatic grasshopper <i>Paulinia acuminata</i> (Orthoptera: Pauliniidae) and its foodplant, the water-fern <i>Salvinia auriculata</i> (Filicatae: Salviniaceae)	47-58
ZALESSKAJA, N.T.: The centipede genus <i>Lamyctes</i> MEINERT, 1868, in the environs of Manaus, Central Amazonia, Brazil (Chilopoda, Lithobiomorpha, Henicopidae)	59-64
SCHELLER, U.: Paupropoda of a secondary forest near the Tarumã Mirim River, Amazonas, Brazil (Myriapoda, Paupropoda, Paupropodidae)	65-130
GOLOVATCH, S.I.: Further new Fuhrmannodesmidae from the environs of Manaus, Central Amazonia, Brazil, with a revision of <i>Cryptogonodesmus</i> SILVESTRI, 1898 (Diplopoda, Polydesmida)	131-161
PEREIRA, L.A., MINELLI, A. & F. BARBIERI: New and little known geophilomorph centipedes from Amazonian inundation forests near Manaus, Brazil (Chilopoda: Geophilomorpha)	163-204
GAMA, DA M.M. & E. PEREIRA DE OLIVEIRA: Evolutionary systematics of <i>Xenylla</i> . XVI. Description of a new species in Amazonia (Insecta: Collembola). [in Spanish]	205-208

Amazoniana 13(3/4), 1995

DELOBEL, A., COUTURIER, G., KAHN, F. & J.A. NILSSON: Trophic relationships between palms and bruchids (Coleoptera: Bruchidae: Pachymerini) in Peruvian Amazonia	209-219
SILVA, C.P.D.: Community structure of fish in urban and natural streams in the Central Amazon	221-236
WALKER, I.: Sedimentation in the inundation forest flanking the Central Amazonian blackwater stream Rio Tarumã Mirim (Manaus, Amazonas State)	237-243
PANOSO, R. DE F., MUEHE, D. & F. DE A. ESTEVES: Morphological characteristics of an Amazon floodplain lake (Lake Batata, Pará State, Brazil)	245-258
GARCIA, M.V.B. & J. ADIS: Nesting behaviour of <i>Trypoxylon (Trypargilum) rogenhoferi</i> KOHL (Hymenoptera, Sphecidae) in a várzea inundation forest of Central Amazonia. [in Portuguese]	259-282
HOFFMAN, R.L.: Redefinition of the milliped genus <i>Pycnotropis</i> , and description of a new species from Manaus, Brazil (Polydesmida: Platyrrhacidae: Euryurinae)	283-292
THATCHER, V.E.: <i>Anphira xinguensis</i> sp. nov. (Isopoda, Cymothoidae) a gill chamber parasite of an Amazonian serrasalmid fish, <i>Ossobius xinguense</i> JÉGU, 1992	293-303
THATCHER, V.E.: Comparative pleopod morphology of eleven species of parasitic isopods from Brazilian fish	305-314
KURY, A.B.: A review of <i>Huralvioides</i> (Opilioones, Gonyleptidae, Pachylinae)	315-323
PEREIRA, L.A., MINELLI, A. & F. BARBIERI: Description of nine new centipede species from Amazonia and related matters on Neotropical geophilomorphs (Chilopoda: Geophilomorpha)	325-416
GERECKE, R.: Water mites from Ecuador I. A new genus of the family Anisitsiellidae KOENIKE, 1909 (Acari: Hydrachnella) from a rain forest stream in the province of Esmeraldas	417-422

Amazoniana 14(1/2), 1996

HOFFMAN, R.L., GOLOVATCH, S.I., ADIS, J. & J.W. DE MORAIS: Practical keys to the orders and families of millipedes of the Neotropical region (Myriapoda: Diplopoda)	1-35
HUSZAR, V.L.M.: Planktonic algae, other than desmids, of three Amazonian systems (Lake Batata, Lake Mussurá and Trombetas River), Pará, Brazil	37-73
SOPHIA, M.G. & V.L.M. HUSZAR: Planktonic desmids of three Amazonian systems (Lake Batata, Lake Mussurá and Trombetas River), Pará, Brazil	75-90
LIMA, I.M.B.: A new species of <i>Circoniscus</i> PEARSE, 1917 (Crustacea: Isopoda: Scleropactidae) from the Amazonian region of Brazil. [in Portuguese]	91-100
LIMA, I.M.B.: A new species of <i>Prosekia</i> VANDEL, 1968 (Philosciidae: Isopoda) from Amazonia of Brazil. [in Portuguese]	101-108
GOLOVATCH, S.I.: Two new and one little-known species of the millipede family Pyrgodesmidae from near Manaus, Central Amazonia, Brazil (Diplopoda: Polydesmida)	109-120
THATCHER, V.E.: <i>Braga amapaensis</i> n.sp. (Isopoda: Cymothoidae) a mouth cavity parasite of the Amazonian fish, <i>Acestrorhynchus guyanensis</i> MENEZES, with a redefinition of the genus <i>Braga</i>	121-129
THATCHER, V.E.: A new genus and three new species of Monorchiidae (Trematoda) from freshwater fish of Rondônia State, Brazil	131-136

GOLOVATCH, S.I.: A new species of <i>Cutervodesmus</i> KRAUS, 1957, from the environs of Manaus, Central Amazonia, Brazil, with notes on the genus (Diplopoda: Polydesmida: Fuhrmannodesmidae)	137-141
THATCHER, V.E. & M. JÉGU: Intestinal helminths as population markers of the Amazonian fish <i>Mylesinus paraschomburgkii</i> , with descriptions of five new genera and seven new species of trematodes	143-155
ENRICH-PRAST, A. & F. DE A. ESTEVES: Seasonal nitrogen fixation in the sediment of an Amazonian lake impacted by bauxite tailings (Batata Lake-Pará)	157-163
SILVA, V.M.F. DA & R.C. BEST: Freshwater dolphin/fisheries interaction in the Central Amazon (Brazil)	165-175

Amazoniana 14(3/4), 1997

ROSSO DE FERRADÁS, B.E. & K. BÖTTGER: Water mites from stagnant waters of Paraguay	177-212
CONDÉ, B.: Supplementary description of the Brasilian palpigrade <i>Eukoenenia janetscheki</i> CONDÉ. [in French]	213-220
JUNK, W.J.: Ecological studies on crocodilans in Suriname. P.E. OUBOTER. Book review	221
SCHELLER, U.: Paupropoda from upland and inundation forests in Central Amazonia, Brazil (Myriapoda, Paupropoda: Millotaupopodidae, Paupopodidae)	223-300
GOLOVATCH, S.I., HOFFMAN, R.L., ADIS, J., VOHLAND, K. & A. MÁRMOL: On the identity of further two millipede species (Diplopoda) from the environs of Manaus, Central Amazonia,	301-309
THATCHER, V.E.: Mouthpart morphology of six freshwater species of Cymothoidae (Isopoda) from Amazonian fish compared to that of three marine forms, with the proposal of Artystonenae subfam. nov.	311-322
GOLOVATCH, S.I.: On some further Neotropical Pyrgodesmidae, partly from the environs of Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida)	323-334
AMARAL, I.L. DO, ADIS, J. & G.T. PRANCE: On the vegetation of a seasonal mixedwater inundation forest near Manaus, Brazilian Amazonia	335-347
DREHER MANSUR, M.C., VOLKMER-RIBEIRO, C. & J. LOPES DE CARVALHO: <i>Paxyodon syrmatophorus</i> (MEUSCHEN, 1781) (Mollusca, Bivalvia, Unionoida) in the Curuá-Una reservoir, Santarém, Pará, Brazil	349-351
TALLING, J.F.: The Central Amazon floodplain. Ecology of a pulsing system. W.J. JUNK (ed.) - Book review	353

Amazoniana 15(1/2), 1998

CALLISTO, M., ESTEVES, F. DE A., GONÇALVES, J.F. Jr. & J.J.L. FONSECA: Benthic macro-invertebrates as indicators of ecological fragility of small rivers ('igarapés') in a bauxite mining region of Brazilian Amazonia	1-9
VÁSQUEZ, E., PARDO, M.J., ZOPPI DE ROA, E. & C. LÓPEZ: Rotifer fauna from Venezuela	11-24
DÍAZ-CASTRO, J.G. & E.R. HARDY: Life history of <i>Moina micrura</i> (KURZ) fed with three algae species, in the laboratory	25-34
NESSIMIAN, J.L., DORVILLÉ, L.F.M., SANSEVERINO, A.M. & D.F. BAPTISTA: Relation between flood pulse and functional composition of the macroinvertebrate benthic fauna in the lower Rio Negro, Amazonas, Brazil	35-50

THATCHER, V.E.: Description of adults of <i>Octospiniferoides incognita</i> SCHMIDT & HUGGHINS 1973 (Acanthocephala: Neoechinorhynchidae) from a fish of Rondônia State, Brazil	51-55
GOLOVATCH, S.I. & J. ADIS: Description of <i>Taulidesmella tabatinga</i> n.sp. (Diplopoda, Polydesmida, Pyrgodesmidae) from Amazon River floodplains, with notes on its distribution and ecology	57-66
GOLOVATCH, S.I., VOHLAND, K., HOFFMAN, R.L., ADIS, J., MÁRMOL, A., BACHMANN, L. & J. TOMIUK: Review of the Neotropical millipede genus <i>Pycnotropis</i> CARL, 1914 (Diplopoda, Polydesmida, Aphelidesmidae)	67-102
THATCHER, V.E. & M. JÉGU: Amphistomes as species markers of the serrasalmid fish, <i>Myleus ternetzi</i> (NORMAN), from French Guiana, with descriptions of two new species and one new genus	103-112
PAROLIN, P.: Floristic composition and structure of two stands of <i>Senna reticulata</i> differing in age	113-128
VOHLAND, K.: Review of the millipede subfamily Amplininae (Diplopoda, Polydesmida, Aphelidesmidae) with remarks on phylogeny and the description of some new South American genera and species	129-163

Amazoniana 15(3/4), 1999

JUNK, W.J.: Obituary Dr. Hans Klinge (1928-1999)	165-168
SCHELLER, U.: The taxonomic composition and affinities of the Brazilian Paupopoda with description of three new species from Central Amazonia (Myriapoda, Paupopoda: Paupopodidae)	169-182
THATCHER, V.E. & I. SCHINDLER: <i>Artystone bolivianensis</i> n.sp. (Isopoda, Cymothoidae) from a loricariid catfish of the Bolivian Amazon	183-191
LEAL, J.J.F. & F. DE A. ESTEVES: Density and biomass of <i>Campsurus</i> sp. (Ephemeroptera) and other macroinvertebrates in an Amazonian lake impacted by bauxite tailings (Lago Batata, Pará, Brazil)	193-209
ZOMPRO, O. & I. FRITZSCHE: <i>Lucihormetica fenestrata</i> n.gen., n.sp., the first record of luminescence in an orthopteroid insect (Dictyoptera: Blaberidae: Blaberinae: Brachycolini)	211-219
GOLOVATCH, S.I.: On six new and some older Pyrgodesmidae from the environs of Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida)	221-238
ISHII, K., NGUYEN DUY-JACQUEMIN, M. & B. CONDÉ: The first penicillate millipedes from the vicinity of Manaus, Central Amazonia, Brazil (Diplopoda: Polyxenida)	239-267
GOLOVATCH, S.I., HOFFMAN, R.L. & J. ADIS: A new species of <i>Chondrodesmus</i> SILVESTRI, 1897, from near Tefé, Central Amazonia, Brazil, with first ecological observations (Diplopoda, Polydesmida, Chelodesmidae)	269-277
BRETFELD, G. & U. GAUER: A second species of the genus <i>Sturmius</i> BRETFELD, 1994: <i>Sturmius truncivivus</i> n.sp. from Brazil (Insecta, Collembola, Symphyleona)	279-284
ADIS, J.: PADOCH, C., AYRES, J.M., PINEDO-VASQUEZ, M. & A. HENDERSON (eds.): Várzea - Diversity, development, and conservation of Amazonia's whitewater flood-plains. - Book review	285-286
ADIS, J.: PARROTTA, J.A., FRANCIS, J.K. & R.R. DE ALMEIDA: Trees of the Tapajós - A photographic field guide. - Book review	287
ANONYMOUS: Contents of Amazoniana Volumes 1 (1965) - 15 (1999)	289-326

Amazoniana 16(1/2), 2000

PEREIRA, L.A., FODDAI, D. & A. MINELLI: New taxa of Neotropical Geophilomorpha (Chilopoda)	1-57
FODDAI, D., PEREIRA, L.A. & A. MINELLI: A catalogue of the geophilomorph centipedes (Chilopoda) from Central and South America including Mexico	59-185
COKENDOLPHER, J.C. & J.R. REDDELL: New and rare Schizomida (Arachnida: Hubbardiidae) from South America	187-212
PAGÉS, J.: <i>Parajapyx (P.) adisi</i> n.sp., the first Diplura Parajapygidae of inundation forests in Central Amazonia. [in French]	213-222
COLLADO, R. & R.M. SCHMELZ: <i>Pedonais crassifaucis</i> n.gen., n.sp. (Naididae) and <i>Bothrioneurum righii</i> n.sp. (Tubificidae), two new tropical soil-dwelling species of "aquatic" oligochaetes (Clitellata, Annelida) from Central Amazonia	223-235
THATCHER, V.E.: A new genus and species of amphistome parasite (Trematoda: Cladorchidae) from a fish of Rondônia State, Brazil	237-240
PAROLIN, P.: The use of trees in forests inundated by whitewater in Central Amazonia. - Scientific note. [in Portuguese]	241-248
THATCHER, V.E.: <i>Perulernaea pirapitingae</i> n.sp. (Copepoda: Lernaeidae) a parasite of the serrasalmid fish, <i>Piaractus brachypomus</i> from the Meta River, Colombia	249-257
LOURENÇO, W.R. & R. PINTO-DA-ROCHA: Additions to the knowledge of the Chactidae of Brazilian Amazonia (Arachnida: Scorpiones)	259-274
JUNK, W.J.: Water and man in the várzea of Careiro. 2nd edition. H.O'R. STERNBERG (ed.). - Book review. [in Portuguese]	275-276
FITTKAU, E.J.: Obituary Dr. Friedrich Reiss (1937-1999)	277-282

Amazoniana 16(3/4), 2001

Dedicated to Prof. Dr. Harald Sioli on the occasion of his 90th anniversary
PART I

STEINER, G.: Vignette	283
JUNK, W.J.: Appraisal of the scientific work of Harald SIOLI	285-297
SCHMIDT, L.: Birthday letter to Harald SIOLI	299-301
AB'SÁBER, A.N.: The prehistoric human geography of Brazil	303-311
FITTKAU, E.J.: Amazonian Chironomidae (Diptera, Chironomidae): A contribution to chironomid research in the Neotropics	313-323
GOLOVATCH, S.I.: <i>Agnurodesmus siolii</i> n.sp., the first Cyrtodesmidae to be reported from Brazil, with remarks on the genus and family (Diplopoda, Polydesmida)	325-336
GOPAL, B.: Holy Ganga and the mighty Amazon	337-348
IRMLER, U.: New Neotropical species of the genera <i>Clavilispinus</i> , <i>Aneucampptus</i> , <i>Thoracophorus</i> , and <i>Holotrochus</i> (Coleoptera: Staphylinidae, Osoriinae)	349-361
KOHLHEPP, G.: Amazonia 2000: An evaluation of three decades of regional planning and development programmes in the Brazilian Amazon region	363-395
MEDINA, E., GIARRIZZO, T., MENEZES, M., CARVALHO LIRA, M., CARVALHO, E.A., PERES, A., SILVA B., A., VILHENA, R., REISE, A. & F.C. BRAGA: Mangal communities of the "Salgado Paraense": Ecological heterogeneity along the Bragança peninsula assessed through soil and leaf analyses	397-416
MEDVEDEV, L.N.: A new species of <i>Lysathia</i> BECHYNÉ, 1959 from the Pantanal, Brazil (Insecta, Coleoptera, Chrysomelidae, Alticinae)	417-420
MEGGERS, B.J.: The mystery of the Marajoara: An ecological solution	421-440

RODRIGUES, W.A., FURCH, K. & †H. KLINGE: Comparative study of the litterfall in a primary and secondary terra firme forest in the vicinity of Manaus, State of Amazonas, Brazil	441-462
SALATI, E., NOBRE, C.A. & A.A. DOS SANTOS: Amazonian deforestation: Regional and global issues	463-481
SCHALLER, F.: On the glowing and preying behaviour of lampyrid and pyrophorine larvae (Coleoptera: Lampyridae, Elateridae): An open subject for future research in Amazonia. - Scientific note	483-486
SCHARF, B.W., PIRRUNG, M., BOEHRER, B., BÜCHEL, G., FRIESE, K., KUSEL-FETZMANN, E., MAGES, M., TREUTLER, H.-C. & A. WITKOWSKI: Limnogeological studies of maar lake Ranu Klindungan, East Java, Indonesia	487-516
SMITH, N.J.H.: Land use dynamics in the Amazon estuary and implications for natural resource management	517-537
VANZOLINI, P.E.: Temporal fluctuations in scale counts and body proportions of Amazonian riparian lizards (<i>Cnemidophorus</i> , <i>Sauria</i> , <i>Teiidae</i>)	539-563
WALKER, I.: The pattern of distribution of the two sibling species <i>Euryrhynchus amazoniensis</i> and <i>E. burchelli</i> (Decapoda, Palaemonidae) in the Central Amazonian blackwater stream Tarumã-Mirim, and the problem of coexistence	565-578
HAFFER, J. & G.T. PRANCE: Climatic forcing of evolution in Amazonia during the Cenozoic: On the refuge theory of biotic differentiation	579-607
COLINVAUX, P.A., IRION, G., RÄSÄNEN, M.E. & M.B. BUSH: A paradigm to be discarded: Geological and paleoecological data falsify the HAFFER & PRANCE refuge hypothesis of Amazonian speciation	609-646
VAN DER HAMMEN, T.: Ice age tropical South America: What was it really like? - Scientific note	647-652
HOOGHIEMSTRA, H.: The continuing debate on the history of the Amazonian rain forest. - Scientific note	653-656
PAGÉS, J.: ERRATUM: AMAZONIANA XVI(1/2): 213-222, 2000:	657

Amazoniana 17(1/2), 2002
Dedicated to Prof. Dr. Harald Sioli on the occasion of his 90th anniversary
PART II

ADIS, J., BONALDO, A.B., BRESCOVIT, A.D., BERTANI, R., COKENDOLPHER, J.C., CONDÉ, B., KURY, A.B., LOURENÇO, W.R., MAHNERT, V., PINTO-DA-ROCHA, R., PLATNICK, N.I., REDDELL, J.R., RHEIMS, C.A., ROCHA, L.S., ROWLAND, J.M., P. WEYGOLDT & S. WOAS: Arachnida at 'Reserva Ducke', Central Amazonia/Brazil	1-14
ADIS, J., FODDAI, D., GOLOVATCH, S.I., HOFFMAN, R.L., MINELLI, A., MORAIS, J.W. DE, PEREIRA, L.A., SCHELLER, U., SCHILEYKO, A.A. & M. WÜRMLI: Myriapoda at 'Reserva Ducke', Central Amazonia/Brazil	15-25
BEHLING, H.: Late Quaternary vegetation and climate dynamics in southeastern Amazonia inferred from Lagoa da Confusão in Tocantins State, northern Brazil	27-39
BEHLING, H.: Impact of the Holocene sea-level changes in coastal, eastern and Central Amazonia	41-52
MAIA, L.A. & M.T.F. PIEDADE: Influence of the flood pulse on leaf phenology and photosynthetic activity of trees in a flooded forest in Central Amazonia/Brazil	53-63
ROLAND, F., ESTEVES, F. DE & F.A.R. BARBOSA: Relationship between anthropogenically caused turbidity and phytoplankton production in a clear Amazonian floodplain lake	65-77

WALDHOFF, D. & B. FURCH: Leaf morphology and anatomy in eleven tree species from Central Amazonian floodplains (Brazil)	79-94

ARNDT, E., ZERM, M. & J. ADIS: Key to the larval tiger beetles (Coleoptera: Cicindelidae) of Central Amazonian floodplains (Brazil)	95-108
BRETFELD, G.: Known and new genera and species of Symphyleona (Insecta, Collembola) obtained by canopy fogging in Central Amazonia, Brazil	109-137
BONECKER, C.C., LANSAC-TÔHA, F.A., BINI, L.M. & L.F.M. VELHO: Daily fluctuation in rotifer population abundance in two environments of the upper Paraná River floodplain, Brazil	139-151
CALLIL, C.T. & M.C. DREHER MANSUR: Corbiculidae in the Pantanal: history of invasion in southeast and central South America and biometrical data	153-167
DELGADO, C.: The relationship between <i>Pachymerus cardo</i> (FÅHRAEUS) (Coleoptera: Bruchidae) and the palm <i>Orbignya spectabilis</i> (C. MARTIUS) BURRET (Arecaceae: Cocoeae) in a terra firme forest, Brazilian Amazon. Scientific note	169-171
GOLOVATCH, S.I.: On two species of the millipede genus <i>Pycnotropis</i> CARL, 1914 from Amapá state, Brazil (Diplopoda, Polydesmida, Aphelidesmidae)	173-176
LOURENÇO, W.R. & A. PÉZIER: Addition to the scorpion fauna of the Manaus region (Brazil), with a description of two new species of <i>Tityus</i> from the canopy	177-186
ROWLAND, J.M.: Review of the South American whip scorpions (Thelyphonida: Arachnida).	187-204
SCHELLER, U.: Two new pauropod species from Central Amazonia (Myriapoda: Pauropoda: Pauroopodidae)	205-212
SOUZA, D.C. DE, THOMAZ, S.M. & L.M. BINI: Species richness and beta-diversity of aquatic macrophytes assemblages in three floodplain tropical lagoons: evaluating the effects of sampling size and depth gradients	213-225
TAKIYA, D.M. & G. MEYDALANI: On the Central and Western Amazonian genus <i>Tacora</i> MELICHAR, 1926 (Hemiptera: Cicadellidae: Cicadellinae): key to species and descriptions of three new taxa	227-242
VAN BAAREN, J., DELEPORTE, P. & P. GRANDCOLAS: Cockroaches in French Guiana Icteridae birds nests	243-248
ZERM, M.: On biology and survival strategy of tiger beetles of open habitats in Central Amazonian floodplains (Col.: Carabidae: Cicindelinae) (Brazil) [in German]	249-282

Amazoniana 17(3/4), 2003
Dedicated to Prof. Dr. Wolfgang J. Junk on the occasion of his 60th anniversary

ARAUJO, C.S. DE & V.E. THATCHER: <i>Anphira junki</i> n.sp. (Isopoda, Cymothoidae) a gill chamber parasite of <i>Triportheus albus</i> and <i>T. flavus</i> (Pisces) in the Brazilian Amazon	283-290
DRAGO, E.C., DRAGO, I.E. DE, OLIVEROS, O.B. & A.R. PAIRA: Aquatic habitats, fish and invertebrate assemblages of the Middle Paraná River	291-341
GOLOVATCH, S.I., HOFFMANN, R.L., MÁRMOL, A. & J. ADIS: A new, apparently arboricolous species of the millipede genus <i>Mestosoma</i> SILVESTRI, 1897 from near Iquitos, Peruvian Amazonia (Diplopoda: Polydesmida: Paradoxosomatidae)	343-348
IRMLER, U.: Distribution, redescription and description of new species of the <i>Clavilispinus exiguis</i> group (Coleoptera: Staphylinidae, Osoriinae) in the Neotropical region	349-360
KERN, J. & A. DARWICH: The role of periphytic N ₂ fixation for stands of macrophytes in the whitewater floodplain (várzea)	361-375

MAGALHÃES, C.: The occurrence of freshwater crabs (Crustacea: Decapoda: Pseudophelphusidae, Trichodactylidae) in the Rio Xingu, Amazon Region, Brazil, with description of a new species of Pseudothelphusidae	377-386
MARTIUS, C.: Rainfall and air humidity: non-linear relationships with termite swarming in Amazonia	387-397
PAROLIN, P., ADIS, J., SILVA, M.F. DA, AMARAL, I.L. DO, SCHMIDT, L. & M.T.F. PIEDADE: Floristic composition of a floodplain forest in the Anavilhanas archipelago, Brazilian Amazonia	399-411
SMITH, L.K., MELACK, J.M. & D.E. HAMMOND: Carbon, nitrogen, and phosphorus content and ^{210}Pb -derived burial rates in sediments of an Amazon floodplain lake	413-436
SOBRAL, M., PAROLIN, P. & U. SAINT-PAUL: Otolith microstructure analysis for age determination of the Amazon characid <i>Triplophysa albus</i>	437-449
WALDHOFF, D.: Leaf structure in trees of Central Amazonian floodplain forests (Brazil)	451-469
WALKER, I.: The benthic insect fauna of the blackwater forest stream Rio Tarumã-Mirim (Manaus, Amazonas): patterns of population dynamics and their implications for ecosystem stability	471-480
WANTZEN, K.M.: Cerrado streams - characteristics of a threatened freshwater ecosystem type on the Tertiary Shields of Central South America	481-502
ZERM, M. & J. ADIS: Survival strategy of the bombardier beetle, <i>Pheropsophus rivieri</i> (Col.: Carabidae) in a Central Amazonian blackwater floodplain (Brazil)	503-508
ZOMPRO, O.: <i>Prisopus wolfgangjunki</i> n.sp., a new species of <i>Prisopus</i> ST. FARGENAU & AUDINET SERVILLE, 1827, from Brazil (Phasmatodea: Prisopodidae)	509-511
<hr/>	
AMADO, A.M., FARJALLA, V.F., ESTEVES, F.A. & R.L. BOZELLI: DOC photo-oxidation in clear water Amazonian aquatic ecosystems	513-523
BATISTA, T.C.A., VOLKMER-RIBEIRO, C., DARWICH, A. & L.F. ALVES: Freshwater sponges as indicators of floodplain lake environments and of river rocky bottoms in Central Amazonia	525-549
BRETFELD, G.: <i>Adisanus</i> nom.nov. for a genus of Symphypleona (Insecta, Collembola) from Central Amazonia, Brazil	551-552
CARNEIRO, L.S., BOZELLI, R.L. & F.A. ESTEVES: Long-term changes in the density of the copepod community in an Amazonian lake impacted by bauxite tailings	553-566
ROSSA, D.C. & C.C. BONECKER: Abundance of planktonic and non-planktonic rotifers in lagoons of the Upper Paraná River floodplain	567-581
TORRES, D. & C.R. BEASLEY: Pattern of use of a small bay in northern Brazil by <i>Sotalia guianensis</i> (Cetacea: Delphinidae)	583-594

Amazoniana 18(1/2), 2004

MELO, S., HUSZAR, V.L.M., ROLAND, F., ESTEVES, F.A. & R. BOZELLI: Phytoplankton diel variation and vertical distribution in two Amazonian flood-plain lakes (Batata Lake and Mussurá Lake, Pará-Brasil) with different mixing regimes	1-10
†RODRÍGUEZ, G. & H. SUÁREZ: A revision of the freshwater crabs of the family Pseudothelphusidae (Decapoda: Brachyura) from Peru with notes on the southern limits of the family	11-28
PAROLIN, P., ADIS, J., RODRIGUES, W.A., AMARAL, I. & M.T.F. PIEDADE: Floristic study of an igapó floodplain forest in Central Amazonia, Brazil (Tarumã-Mirim, Rio Negro)	29-47
GOLOVATCH, S.I. & R.L. HOFFMAN: On two new chelodesmid millipedes from Amapá, Brazil (Diplopoda, Polydesmida, Chelodesmidae)	49-55

GOLOVATCH, S.I., HOFFMAN, R.L., ADIS, J., SPELDA, J., VOHLAND, K. & D. SEITZ: The millipede subfamily Aphelidesminae in Amazonia (Diplopoda, Polydesmida, Aphelidesmidae)	57-73
CAZORLA, C.G. & P.I. MARINO: The pupa of <i>Stilobezzia punctulata</i> LANE from Peruvian Amazonia (Diptera: Ceratopogonidae)	75-80
ENRICH-PRAST, A., MEIRELLES-PEREIRA, F. & F.A. ESTEVES: Development of peri- phytic bacteria associated with detritus of the Amazonian aquatic macrophyte <i>Oryza glumaepatula</i>	81-93
ARBELÁEZ, F., GÁLVIS, G., MOJICA, J.I. & S. DUQUE: Composition and richness of the ichthyofauna in a <i>terra firme</i> forest stream of the Colombian Amazonia	95-107
FONSECA LEAL, J.J., ESTEVES, F.A. & M. CALLISTO: Distribution of Chironomidae larvae in an Amazonian flood-plain lake impacted by bauxite tailings (Brazil)	109-123
CAPELLO, S., MARCHESE, M. & I. EZCURRA DE DRAGO: Decomposition and invertebrate colonization of <i>Salix humboldtiana</i> leaf litter on the Middle Paraná River floodplain. [in Spanish]	125-143
SCHÖLLER, M.: A new species in the formerly monotypic genus <i>Heptarthrius</i> SUFFRIAN (Chrysomelidae: Cryptocephalinae)	145-149
MEDVEDEV, L.N.: A new species of <i>Myochrous</i> DEJEAN, 1837 from Brazil (Coleoptera, Chrysomelidae, Eumolpinae)	151-155
BERGHOLZ, N.G.R., ADIS, J. & S.I. GOLOVATCH: New records of the millipede <i>Myrmecodesmus hastatus</i> (SCHUBART, 1945) in Amazonia of Brazil (Diplopoda: Polydesmida: Pyrgodesmidae).	157-161
SCHALLER, F.: Nachruf/Obituary Prof. Dr. Harald Felix Ludwig Sioli (1910-2004)	163-168
ANONYMOUS: Prof. Dr. Harald Sioli in memoriam	169-172

Amazoniana 18(3/4), 2005

BEASLEY, C.R., DE QUADROS MIRANDA, L., ALVES, S.T.M., MELO, A.G., SOUZA, J.O. & C.H. TAGLIARO: Brood size and larval length of <i>Paxyodon syrmatophorus</i> (Bivalvia, Hyriidae) from the Tocantins river, Brazil	173-184
LIN, D.S.C. & É. PELLEGRINI-CARAMASCHI: Seasonal and diel stability of limnological parameters and habitat structure in a floodplain lake silted by bauxite tailings (Lago Batata, Pará, Brazil)	185-202
LOURENÇO, W.R.: Scorpion diversity and endemism in the Rio Negro region of Brazilian Amazonia, with the description of two new species of <i>Tityus</i> C.L. KOCH (Scorpiones, Buthidae)	203-213
CASTILHO, A.C. DA COSTA, MARQUES, M.I., ADIS, J. & A.D. BRESCOVIT: Seasonal and vertical distribution of Araneae in an area with predominance of <i>Attalea phalerata</i> MART. (Arecaceae), in the Pantanal of Poconé, Mato Grosso, Brazil. [in Portuguese]	215-239
LOURENÇO, W.R., ADIS, J. & J. DE S. ARAÚJO: A new synopsis of the scorpion fauna of the Manaus region in Brazilian Amazonia, with special reference to an inundation forest at the Tarumã Mirim river	241-249
BARBOSA, M.G.V., HENRIQUES, A.L., RAFAEL, J.A. & C.R.V. DA FONSECA: Species diversity and similarity between sites in Tabanidae (Insecta: Diptera) of a <i>terra firme</i> forest (Adolpho Ducke Reserve) in Central Amazonia, Brazil. [in Portuguese]	251-266
CONTRERAS-RAMOS, A., FIORENTIN, G.L. & Y. URAKAMI: A new species of alderfly (Megaloptera: Sialidae) from Rio Grande do Sul, Brazil	267-272

GOLOVATCH, S.I., HOFFMAN, R.L., ADIS, J., MARQUES, M.I., RAIZER, J., SILVA, F.H.O., RIBEIRO, R.A.K., SILVA, J.L. & T.G. PINHEIRO: Millipedes (Diplopoda) of the Brazilian Pantanal	273-288
CAZORLA, C.C., SPINELLI, G.R. & F. DÍAZ: Two new species of the subgenus <i>Stilobezzia</i> (<i>Stilobezzia</i>) KIEFFER from Peruvian Amazonia (Diptera: Ceratopogonidae)	289-297
GOCH, Y.G.F., KRUMME, U., SAINT-PAUL, U. & J.A.S. ZUANON: Seasonal and diurnal changes in the fish fauna composition of a mangrove lake in the Caeté estuary, north Brazil	299-315
WIEDENBRUG, S. & R. OSPINA-TORRES: A key to pupal exuviae of Neotropical Tanytarsini (Diptera: Chironomidae)	317-371
FRANCESCHINI, M.C. CAPELLO, S., LHANO, M.G., ADIS, J. & M.L. DE WYSIECKI: Morphometry of the nymphal stages in <i>Cornops aquaticum</i> (Acrididae: Leptysminae) from Argentina. [in Spanish]	373-386
WANTZEN, K.M., ROSA, F.R., NEVES, C.O. & C. NUNES DA CUNHA: Leaf litter addition experiments in riparian ponds with different connectivity to a Cerrado stream in Mato Grosso, Brazil	387-396
LHANO, M.G., ADIS, J., MARQUES, M.I. & L.D. BATTIROLA: <i>Cornops aquaticum</i> (Orthoptera, Acrididae, Leptysminae): aceitação de plantas alimentares por ninfas vivendo em <i>Eichhornia azurea</i> (Pontederiaceae) no Pantanal Norte, Brasil	397-404
SCHALLER, F.: ERRATUM: AMAZONIANA XVI(3/4): 483-486, 2001:	405

Amazoniana 19(1/2), 2006

NUNES DA CUNHA, C., RAWIEL, P., WANTZEN, K.M., JUNK, W.J. & A. LEMES DO PRADO: Mapping and characterization of vegetation units by means of Landsat imagery and management recommendations for the Pantanal of Mato Grosso (Brazil), north of Poconé	1-32
--	------

Amazoniana 19(3/4), 2007

JUNK, W.J.: Preface	33-34
VEGAS-VILARRÚBIA, T., PONCE, M.E., GÓMEZ & L. MORA: Wetland vegetation of the lower Orinoco Delta plain (Venezuela): A preliminary approach	35-61
SCHELLER, U.: New records of Paupropoda and Symphyla (Myriapoda) from Brazil with description of new species in <i>Allopaupropus</i> , <i>Hansenella</i> and <i>Ribautiella</i> from the northern Pantanal wetland and from Mato Grosso of Brazil	63-75
LOURENÇO, W.R. & E. APARECIDA DA SILVA: New evidence for a disrupted distribution pattern of the 'Titus confluens' complex, with the description of a new species from the State of Pará, Brazil (Scorpiones, Buthidae)	77-86
PUTHZ, V.: Neue <i>Stenus</i> -Arten, vorwiegend aus dem Amazonasgebiet (Coleoptera: Staphylinidae)	87-95
PUTHZ, V.: New Neotropical <i>Edaphus</i> -species (Coleoptera: Staphylinidae)	97-130
MARQUES, M.I., ADIS, J., BATTIROLA, L.D., BRESCOVIT, A.D., SILVA, F.H.O. & J.L. SILVA: Composition of the arthropod community associated with the canopy of <i>Calophyllum brasiliense</i> (Guttiferae), in the Pantanal, Mato Grosso, Brazil. [in Portuguese]	131-148

FRANCESCHINI, M.C., ADIS, J., POI DE NEIFF, A. & M.L. DE WYSIECKI: Phenology of <i>Cornops aquaticum</i> (Orthoptera: Acrididae) on a floating meadow of <i>Eichhornia azurea</i> (Pontederiaceae) in Argentina. [in Spanish]	149-158
NUNES DA CUNHA, C., JUNK, W.J. & H.F. LEITÃO-FILHO: Woody vegetation in the Pantanal of Mato Grosso, Brazil: a preliminary typology	159-184
RÄTSCH, G. & K. HAASE: Anatomic prerequisites for internal root aeration of three tree species of the Amazonian inundation forest	185-198
BOEGER, M.R.T. & J. ADIS: Anatomy of five aquatic macrophytes and its influence on <i>Cornops aquaticum</i> (Orthoptera, Acrididae, Leptysminae). [in Portuguese]	199-208
CAPELLO, S., ADIS, J. & M.L. DE WYSIECKI: Temperature and photoperiod: what affects the nymphal development of <i>Cornops aquaticum</i> (Orthoptera: Acrididae)? [in Spanish]	209-216
JUNK, W.J.: POR, F.D., IMPERATRIZ-FONSECA, V.L. & F. LENCIIONI NETO: Biomes of Brazil: An Illustrated Natural History. - Book review	217
JUNK, W.J.: TUDORANCEA, C. & M.M. TUDORANCEA: Danube Delta: Genesis and Biodiversity. - Book review	219-221
PANOV, E.N. & S.I. GOLOVATCH: WALKER, I.: The evolution of biological organization as a function of information. - Book review	223-224
BRAGA, C.E. & J. ADIS: <i>Pontederia rotundifolia</i> (Pontederiaceae): host plant of <i>Cornops brevipenne</i> (Leptysminae: Acrididae: Orthoptera). - Scientific note. [in Portuguese]	225
BRAGA, C.E., NUNES, A.L. & J. ADIS: <i>Cornops frenatum frenatum</i> (MARSCHALL, 1836) (Orthoptera, Acrididae, Leptysminae): Occurrence and oviposition on four species of <i>Heliconia</i> (Heliconiaceae) in Central Amazonia, Brazil. - Nota Científica. [in Portuguese]	227-231
JUNK, W.J.: SIOLI, H.: Lived, loved Amazonia: Research travels in the Brazilian rainforest between 1940 and 1962. - Book review. [in German]	233-234
ANONYMOUS: Contents of Amazoniana Volumes 1 (1965) - 19 (2007)	235-285

Part B: Alphabetical order

AB'SÁBER, A.N. (2001): The prehistoric human geography of Brazil	16(3/4): 303-311
ADIS, J. (1981): Comparative ecological studies of the terrestrial arthropod fauna in Central Amazonian inundation forests	7(2): 87-173
ADIS, J. (1989): Illustrated key for Neotropical Myriapoda (Arthropoda). [in German and Portuguese]	10(4): 353-360
ADIS, J. (1999): PADOCH, D., AYRES, J.M., PINEDO-VASQUEZ, M. & A. HENDERSON (eds.): Várzea - Diversity, development, and conservation of Amazonia's whitewater floodplains. - Book review	15(3/4): 285-286
ADIS, J. (1999): PARROTTA, J.A., FRANCIS, J.K. & R.R. DE ALMEIDA: Trees of the Tapajós - A photographic field guide. - Book review	15(3/4): 287
ADIS, J. & V. MAHNERT (1985): On the natural history and ecology of Pseudo-scorpiones (Arachnida) from an Amazonian blackwater inundation forest	9(3): 297-314
ADIS, J. & G. RIGHI (1989): Mass migration and life cycle adaption - a survival strategy of terrestrial earthworms in Central Amazonian inundation forests	11(1): 23-30
ADIS, J. & H. STURM (1987): On the natural history and ecology of Meinertellidae (Archaeognatha, Insecta) from dryland and inundation forests of Central Amazonia.	10(2): 197-218

- ADIS, J., BONALDO, A.B., BRESCOVIT, A.D., BERTANI, R., COKENDOLPHER, J.C., CONDÉ, B., KURY, A.B., LOURENÇO, W.R., MAHNERT, V., PINTO-DARROCHA, R., PLATNICK, N.I., REDDELL, J.R., RHEIMS, C.A., ROCHA, L.S., ROWLAND, J.M., WEYGOLDT, P. & S. WOAS (2002): Arachnida at 'Reserva Ducke', Central Amazonia/Brazil 17(1/2): 1-14
- ADIS, J., FODDAI, D., GOLOVATCH, S.I., HOFFMAN, R.L., MINELLI, A., MORAIS, J.W. DE, PEREIRA, L.A., SCHELLER, U., SCHILEYKO, A.A. & M. WÜRMLI (2002): Myriapoda at 'Reserva Ducke', Central Amazonia/Brazil 17(1/2): 15-25
- AGUIAR, N.O. & P.F. BÜHRNHEIM (1992): Pseudoscorpiones (Arachnida) in phoretic association with Passalidae (Insecta, Coleoptera) in the Amazon State, Brazil. [in Portuguese] 12(2): 187-205
- AGUIAR, N.O., VICENTE DA SILVA, J. & P.F. BÜHRNHEIM (1992): *Dolichowithius mediofasciatus* MAHNERT, 1979 (Arachnida, Pseudoscorpiones, Withiidae) phoretic on Platypodidae (Insecta, Coleoptera), in the Amazon State, Brazil. [in Portuguese] 12(2): 181-185
- ALDER, D., BRÜNING, E.F., HEUVELDOP, J. & J. SMITH (1979): Structure and functions in the rain forest of the international Amazon-ecosystem-project: Preliminary communication about the classification of stands, variation of stand structure and precipitation characteristics. [in German] 6(4): 423-444
- ALFAIA, S.S. & N.P. FALÇÃO (1993): Study of nutrient dynamics in floodplain soils of the Careiro Island - Central Amazonia. [in Portuguese] 12(3/4): 485-493
- ALTHERR, E. (1972): Contribution to the knowledge of nematodes of the Amazon estuary. [in French] 3(2): 141-174
- ALTHERR, E. (1977): Contribution to the knowledge of nematodes of the Amazon estuary (2nd part). [in French] 6(2): 145-159
- AMADO, A.M., FARJALLA, V.F., ESTEVES, F.A. & R.L. BOZELLI (2003): DOC photo-oxidation in clear water Amazonian aquatic ecosystems 17(3/4): 513-523
- AMARAL, I.L. DO, ADIS, J. & G.T. PRANCE (1997): On the vegetation of a seasonal mixedwater inundation forest near Manaus, Brazilian Amazonia 14(3/4): 335-347
- ANONYMOUS (1970): Symposium Proceedings on Environment in Amazonia. Part I .. 2(4): 497-501
- ANONYMOUS (1972): The ion load of the Rio Negro, Amazon state, Brazil, according to investigations of Dr. Harald Ungemach. [in German] 3(2): 175-185
- ANONYMOUS (1972): Rainwater analyses from Central Amazonia, carried out in Manaus, Amazon, Brazil, by Dr. Harald Ungemach. [in German] 3(2): 186-198
- ANONYMOUS (1985): Prof. Dr. Harald Sioli to his 75th birthday. [in German, Portuguese, English] 9(3): i-iii
- ANONYMOUS (1999): Contents of Amazoniana Volumes 1 (1965) - 15 (1999) 15(3/4): 289-326
- ANONYMOUS (2004): Prof. Dr. Harald Sioli in memoriam 18(1/2): 169-172
- ANONYMOUS:(2007): Contents of Amazoniana Volumes 1 (1965) - 19 (2007) 19(3/4): 235-285
- ARAUJO, C.S. DE & V.E. THATCHER (2003): *Anphira junki* n.sp. (Isopoda, Cymothoidae) a gill chamber parasite of *Triportheus albus* and *T. flavus* (Pisces) in the Brazilian Amazon 17(3/4): 283-290
- ARAUJO-LIMA, C.A.R.M. & E. HARDY (1987): Biological aspects of Amazonian fishes. VIII. The food of the jaraqui, *Semaprochilodus insignis*, alevins. [in Portuguese] 10(2): 127-136
- ARBELÁEZ, F., GÁLVIS, G., MOJICA, J.I. & S. DUQUE (2004): Composition and richness of the ichthyofauna in a *terra firme* forest stream of the Colombian Amazonia 18(1/2): 95-107
- ARNDT, E., ZERM, M. & J. ADIS (2002): Key to the larval tiger beetles (Coleoptera: Cicindelidae) of Central Amazonian floodplains (Brazil) 17(1/2): 95-108
- BAHRI, S. (1993): Agroforestry systems on Careiro Island. [in French] 12(3/4): 551-563

- BARBOSA, M.G.V., HENRIQUES, A.L., RAFAEL, J.A. & C.R.V. DA FONSECA (2005): Species diversity and similarity between sites in Tabanidae (Insecta: Diptera) of a terra firme forest (Adolpho Ducke Reserve) in Central Amazonia, Brazil. [in Portuguese] 18(3/4): 251-266
- BARTHLOTT, W., RIEDE, K. & M. WOLTER (1994): Mimicry and ultrastructural analogy between the semi-aquatic grasshopper *Paulinia acuminata* (Orthoptera: Pauliniidae) and its foodplant, the water-fern *Salvinia auriculata* (Filicatae: Salviniaceae) 13(1/2): 47-58
- BATISTA, A.D. DA C. & H. SIOLI (1965): Introduction. [in Portuguese] 1(1): 5-6
- BATISTA, A.D. DA C. & H. SIOLI (1965): Introduction. [in German] 1(1): 7-9
- BATISTA, T.C.A., VOLKMER-RIBEIRO, C., DARWICH, A. & L.F. ALVES (2003): Freshwater sponges as indicators of floodplain lake environments and of river rocky bottoms in Central Amazonia 17(3/4): 525-549
- BEASLEY, C.R., DE QUADROS MIRANDA, L., ALVES, S.T.M., MELO, A.G., SOUZA, J.O. & C.H. TAGLIARO (2005): Brood size and larval length of *Paxyodon syrmatophorus* (Bivalvia, Hyriidae) from the Tocantins river, Brazil 18(3/4): 173-184
- BECK, L. (1968): On the biology of some arachnids in the tropical forest of the Reserva Ducke (INPA, Manaus, Brazil). [in Portuguese] 1(3): 247-250
- BECK, L. (1971): Zoological soil classification and characterization of the Amazonian rain forest. [in German] 3(1): 69-132
- BECK, L. (1976): On the mass migration of the macro-arthropod fauna of the soil in inundation forests of the Central Amazon region. [in German] 6(1): 1-20
- BECK, L. (1983): Soil zoology of the Amazonian inundation forests. [in German] 8(1): 91-99
- BECK, L. (1994): Obituary (Dr. Bernd Fribe 1952-1994). [in German] 13(1/2): 1-2
- BEGOSSI, A. & F.M. DE SOUZA BRAGA (1992): Food taboos and folk medicine among fishermen from the Tocantins River (Brazil) 12(1): 101-118
- BEHLING, H. (2002): Late Quaternary vegetation and climate dynamics in southeastern Amazonia inferred from Lagoa da Confusão in Tocantins State, northern Brazil 17(1/2): 27-39
- BEHLING, H. (2002): Impact of the Holocene sea-level changes in coastal, eastern and Central Amazonia 17(1/2): 41-52
- BERGHOLZ, N.G.R., ADIS, J. & S.I. GOLOVATCH (2004): New records of the millipede *Myrmecodesmus hastatus* (SCHUBART, 1945) in Amazonia of Brazil (Diplopoda: Polydesmida: Pyrgodesmidae) 18(1/2): 157-161
- BERKENKAMP, H.O. (1984): A new species of *Rivulus* from the state Sta. Catarina/Brazil, *Rivulus haraldsiolii* spec. nov. (Pisces - Rivulidae). [in German] 8(4): 429-439
- BICUDO, C.E. DE M. (1986): *Ichthyocercus manauensis*, a new desmid (Zyg nemaphyceae) from Northern Brazil 9(4): 637-640
- BITTNER, A. (1979): Serum osmolality and hermatocryal value of Amazonian fresh-water rays (Potamotrygonidae) during adaptation to salt-water. [in German] 6(4): 445-449
- BOEGER, R.T. (1994): Morpho-anatomical adaptation of *Polygonum spectabile* MART. (Polygonaceae) to the flooding in the Amazonian várzea. [in Portuguese] 13(1/2): 3-11
- BOEGER, M.R.T. & J. ADIS: (2007): Anatomy of five aquatic macrophytes and its influence on *Cornops aquaticum* (Orthoptera, Acrididae, Leptysminae). [in Spanish] 19(3/4): 199-208

- BOEGER, W.A. & E. BELMONT-JÉGU (1994): Neotropical Monogenoidea. 21.
Trinigyrus mourei sp.n. (Dactylogyridae) from the gills of the
 Amazonian catfish *Hypostomus marginatus* (Loricariidae) 13(1/2): 13-16
- BÖTTGER, K. (1984): Some ecological observations on neoton and benthon of
 Guatemalan mountain streams (Central America), with special reference
 to the temporary Río Cuxjá. [in German] 8(4): 475-496
- BONECKER, C.C., LANSAC-TÔHA, F.A., BINI, L.M. & L.F.M. VELHO (2002):
 Daily fluctuation in rotifer population abundance in two environments
 of the upper Paraná River floodplain, Brazil 17(1/2): 139-151
- BONETTO, A. (1972): A new species of Monocondylaeinae from the Amazon
 basin, and some considerations on this subfamily in the hydrographic
 systems of South America 3(2): 224-230
- BOURRELLY, P. & A. COUTÉ (1982): Some fresh-water algae of French Guiana.
 [in French] 7(3): 221-292
- BOZELLI, R.L. (1992): Composition of the zooplankton community of Batata
 and Mussurá Lakes and of the Trombetas River, State of Pará, Brazil 12(2): 239-261
- BOZELLI, R.L. (1994): Zooplankton community density in relation to water
 level fluctuations and inorganic turbidity in an Amazonian lake,
 "Lago Batata", State of Pará, Brazil 13(1/2): 17-32
- BRAGA, C.E. & J. ADIS (2007): *Pontederia rotundifolia* (Pontederiaceae):
 host plant of *Cornops brevipenne* (Leptysminae: Acrididae: Orthoptera). -
 Scientific note 19(3/4): 225
- BRAGA, C.E., NUNES, A.L. & J. ADIS (2007): *Cornops frenatum frenatum*
 (MARSCHALL, 1836) (Orthoptera, Acrididae, Leptysminae): Ocorrência e
 oviposição em quatro espécies de *Heliconia* (Heliconiaceae) na Amazônia
 Central, Brasil. - Nota Científica 19(3/4): 227-231
- BRANDORFF, G.-O. (1973): New free living calanoid copepods (Crustacea)
 from the Amazon region. [in German] 4(2): 205-218
- BRANDORFF, G.-O. (1973): The Neotropical genus *Rhacodiaptomus* KIEFER
 (Crustacea, Copepoda), with description of two new species. [in German] 4(4): 341-365
- BRAUM, E. (1983): Observations on a reversible lip extension and its role
 during emergency respiration of *Brycon* spec. (Pisces, Characidae)
 and *Colossoma macropomum* (Pisces, Serrasalmidae). [in German] 7(4): 355-374
- BRAUM, E. (1983): The status of *Brycon labiatus* STEINDACHNER 1880 (Pisces,
 Characoidei) and its synonym, *Othonophanes labiatus* (STEINDACHNER
 1880) 8(2): 265-271
- BRAUM, E. & R. BOCK (1985): Form and function of barbels in *Osteoglossum*
bicirrhosum (Pisces Osteoglossidae) during aquatic surface respiration.
 [in German] 9(3): 353-370
- BRETFELD, G. (2002): Known and new genera and species of Symphypleona
 (Insecta, Collembola) obtained by canopy fogging in Central Amazonia,
 Brazil 17(1/2): 109-137
- BRETFELD, G. (2003): *Adisanus* nom.nov. for a genus of Symphypleona
 (Insecta, Collembola) from Central Amazonia, Brazil 17(3/4): 551-552
- BRETFELD, G. & U. GAUER (1999): A second species of the genus *Sturmius*
 BRETFELD, 1994: *Sturmius truncivivus* n.sp. from Brazil (Insecta,
 Collembola, Symphypleona) 15(3/4): 279-284
- BRINKMANN, W.L.F. & A. DOS SANTOS (1970): Natural waters in Amazonia.
 III. Ammonium Molybdate-reactive silica 2(4):443-448
- BRINKMANN, W.L.F. & A.N. VIEIRA (1970): Some remarks on UV-radiation at
 "Reserva Florestal Ducke" forest pilot scheme near Manaus, Amazon 2(3): 235-243

- BRÜNIG, E.F. (1973): Species richness and stand diversity in relations to site and succession of forests in Sarawak and Brunei (Borneo) 4(3): 293-320
- BRÜNIG, E.F. (1978): Variation of the structure in the rain forest of San Carlos de Rio Negro. [in German] 6(3): 275-277
- BUCK, W.R. & R.A. PURSELL (1980): *Fissidens brachypus*: A moss restricted to a freshwater Amazonian sponge 7(1): 81-85
- BUDOWSKI, G. (1976): Why save tropical rain forests? Some arguments for campaigning conservationists 5(4): 529-538
- CALLIL, C.T. & M.C. DREHER MANSUR (2002): Corbiculidae in the Pantanal: history of invasion in southeast and central South America and biometrical data 17(1/2): 153-167
- CALLISTO, M., ESTEVES, F. DE A., GONÇALVES, J.F. Jr. & J.J.L. FONSECA (1998): Benthic macro-invertebrates as indicators of ecological fragility of small rivers ('igarapés') in a bauxite mining region of Brazilian Amazonia 15(1/2): 1-9
- CAPELLO, S., MARCHESE, M. & I. EZCURRA DE DRAGO (2004): Decomposition and invertebrate colonization of *Salix humboldtiana* leaf litter on the Middle Paraná River floodplain. [in Portuguese] 18(1/2): 125-143
- CAPELLO, S., ADIS, J. & M.L. DE WYSIECKI (2007): Temperature and photoperiod: what affects the nymphal development of *Cornops aquaticum* (Orthoptera: Acrididae)? [in Portuguese] 19(3/4): 209-216
- CARNEIRO, L.S., BOZELLI, R.L. & F.A. ESTEVES (2003): Long-term changes in the density of the copepod community in an Amazonian lake impacted by bauxite tailings 17(3/4): 553-566
- CARVALHO, F.M. (1984): Biological and ecophysiological aspects of *Curimata (Potamorhina) pristigaster*, a Neotropical characine. [in Portuguese] 8(4): 525-539
- CARVALHO, F.M. & E.K. DE RESENDE (1984): Aspects of the biology of *Tocantinsia depressa* (Siluriformes, Auchenipteridae). [in Portuguese] 8(3): 327-337
- CARVALHO, J.C.M. (1984): On a new species intertidal water strider from Brazil (Hemiptera, Gerrromorpha, Mesovelidiidae) 8(4): 519-523
- CARVALHO, J.L. DE & B. DE MERONA (1986): Studies on two migratory fish from lower Tocantins River before closure of Tucurui dam. [in Portuguese] 9(4): 595-607
- CASTILHO, A.C. DA COSTA, MARQUES, M.I., ADIS, J. & A.D. BRESCOVIT (2005): Seasonal and vertical distribution of Araneae in an area with predominance of *Attalea phalerata* MART. (Arecaceae), in the Pantanal of Poconé, Mato Grosso, Brazil. [in Portuguese] 18(3/4): 215-239
- CAZORLA, C.G. & P.I. MARINO (2004): The pupa of *Stilobezzia punctulata* LANE from Peruvian Amazonia (Diptera: Ceratopogonidae) 18(1/2): 75-80
- CAZORLA, C.C., SPINELLI, G.R. & F. DÍAZ (2004): Two new species of the subgenus *Stilobezzia* (*Stilobezzia*) KIEFFER from Peruvian Amazonia (Diptera: Ceratopogonidae) 18(3/4): 289-297
- CERQUEIRA, N.L. & J.A. NUNES DE MELLO (1967): Simuliidae of Amazonia II. Description of *Simulium goeldii* sp.n. (Diptera, Nematocera). [in Portuguese] 1(2): 125-130
- CERQUEIRA, N.L. & J.A. NUNES DE MELLO (1968): Simuliidae of Amazonia IV. Description of *Simulium fulvinotum* sp.n. (Diptera, Nematocera). [in Portuguese] 1(3): 205-210
- CHOMENKO, L. & A. SCHÄFER (1984): Biogeographical interpretation of the distribution of *Littoridina* (Hydrobiidae), in coastal lakes of Rio Grande do Sul, Brazil. [in Portuguese] 9(1): 127-146
- COKEENDOLPHER, J.C. & J.R. REDDELL (2000): New and rare Schizomida (Arachnida: Hubbardiidae) from South America 16(1/2): 187-212

- COLINVAUX, P.A., IRION, G., RÄSÄNEN, M.E. & M.B. BUSH (2001): A paradigm to be discarded: Geological and paleoecological data falsify the HAFFER & PRANCE refuge hypothesis of Amazonian speciation 16(3/4): 609-646
- COLLADO, R. & R.M. SCHMELZ (2000): *Pedonais crassifaucis* n.gen., n.sp. (Naididae) and *Bothrioneurum righii* n.sp. (Tubificidae), two new tropical soil-dwelling species of "aquatic" oligochaetes (Clitellata, Annelida) from Central Amazonia 16(1/2): 223-235
- CONDÉ, B. (1997): Supplementary description of the Brasilian palpigrade *Eukoenenia janetscheki* CONDÉ. [in French] 14(3/4): 213-220
- CONTRERAS-RAMOS, A., FIORENTIN, G.L. & Y. URAKAMI (2005): A new species of alderfly (Megaloptera: Sialidae) from Rio Grande do Sul, Brazil 18(3/4): 267-272
- DE CARLO, J.A. (1967): A new species of the genus *Ranatra* and new species of Naucoridae (Hemiptera). [in Spanish] 1(2): 189-200
- DE CASTRO, A.L. (1984): A new species of *Prosekia* (Phiolosciidae, Isopoda) from an inundation forest (igapó) in the Central Amazon. [in Portuguese] 8(4): 441-445
- DEIMEL, C. (1983): Plant use and diet of the Tarahumaras in the Northwest Mexican upland. [in German] 8(1): 149-158
- DELGADO, C. (2002): The relationship between *Pachymerus cardo* (FÄHRAEUS) (Coleoptera: Bruchidae) and the palm *Orbignya spectabilis* (C. MARTIUS) BURRET (Arecaceae: Cocoeae) in a terra firme forest, Brazilian Amazon. Scientific note 17(1/2): 169-171
- DELOBEL, A., COUTURIER, G., KAHN, F. & J.A. NILSSON (1995): Trophic relationships between palms and bruchids (Coleoptera: Bruchidae: Pachymerini) in Peruvian Amazonia 13(3/4): 209-219
- DÍAZ-CASTRO, J.G. & E.R. HARDY (1998): Life history of *Moina micrura* (KURZ) fed with three algae species, in the laboratory 15(1/2): 25-34
- DORN, E. (1983): On the respiration organs of some air breathing Amazonian fishes. [in German] 7(4): 375-395
- DRAGO, E.C., DRAGO, I.E. DE, OLIVEROS, O.B. & A.R. PAIRA (2003): Aquatic habitats, fish and invertebrate assemblages of the Middle Paraná River 17(3/4): 291-341
- DREHER MANSUR, M.C., VOLKMER-RIBEIRO, C. & J. LOPES DE CARVALHO (1997): *Paxyodon syrmatophorus* (MEUSCHEN, 1781) (Mollusca, Bivalvia, Unionoida) in the Curuá-Una reservoir, Santarém, Pará, Brazil 14(3/4): 349-351
- DUSSART, B.H. (1985): Another new diaptomid (Crustacea, Copepoda) from the Brazilian Amazon 9(2): 275-280
- DUSSART, B.H. (1987): On some *Mesocyclops* (Crustacea, Copepoda) of South America. [in French] 10(2): 149-161
- DUSSART, B.H. & B. ROBERTSON (1984): *Notodiaptomus paraensis* n.sp., a new diaptomid (Crustacea, Copepoda) from the Brazilian Amazon 8(3): 389-394
- EDWARDS, A.M.C. & J.B. THORNES (1970): Observations on the dissolved solids of the Casiquiare and Upper Orinoco, April - June, 1968 2(3): 245-256
- ENRICH-PRAST, A. & F. DE A. ESTEVES (1996): Seasonal nitrogen fixation in the sediment of an Amazonian lake impacted by bauxite tailings (Batata Lake-Pará) 14(1/2): 157-163
- ENRICH-PRAST, A., MEIRELLES-PEREIRA, F. & F.A. ESTEVES (2004): Development of periphytic bacteria associated with detritus of the Amazonian aquatic macrophyte *Oryza glumaepatula* 18(1/2): 81-93
- ERWIN, T.L. (1984): Small terrestrial ground-beetles of the Amazon Basin (Coleoptera: Bembidiini: Tachyina and Anillina) 8(4): 511-518

- ESTEVES, F. DE A., A. THOMAZ, S.M. & F. ROLAND (1994): Comparison of the metabolism of two floodplain lakes of the Trombetas River (Pará, Brazil) based on a study of diel variations 13(1/2): 33-46
- FASSBENDER, H.W. (1979): On the question of the water supply of *Pinus caribaea*-plantations in eastern Venezuela. [in German] 6(4): 451-457
- FERNANDES-CORRÉA, A.F. & B. FURCH (1992): Investigations on the tolerance of several trees to submergence in blackwater (igapó) and whitewater (várzea) inundation forests near Manaus, Central Amazonia 12(1): 71-84
- FERRAZ, E. & V.E. THATCHER (1988): *Bacudacnitis grandistomis* gen. et sp. nov. (Nematoda: Cucullanidae) an intestinal parasite of the catfish, *Pseudodoras niger* (VALENCIENNES) of the Brazilian Amazon. [in Portuguese] 13(3): 249-253
- FERRAZ, E. & V.E. THATCHER (1990): *Camallanus acaudatus* sp.n. (Nematoda, Camallanidae) and a description of the male of *Camallanus tridentatus* (DRASCHE, 1984), parasites of fishes of the Brazilian Amazon. [in Portuguese] 11(2): 135-145
- FERRAZ, E. & V.E. THATCHER (1992): *Paracamallanus amazonensis* sp.n. (Nematoda: Camallanidae) a parasite of the catfish, *Hypophthalmus edentatus* (Pisces: Hypophthalmidae) of the Brazilian Amazon. [in Portuguese] 12(1): 1-6
- FERREIRA, E.J.G. (1984): The fish fauna of Curuá-Una reservoir, Santarém, Pará. I - List and distribution of species. [in Portuguese] 8(3): 351-363
- FERREIRA, E.J.G. (1984): The fish fauna of Curuá-Una reservoir, Santarém, Pará. II - Food and feeding habits of the main species. [in Portuguese] 9(1): 1-16
- FERREIRA, E., SANTOS, G.M. DOS & M. JÉGU (1988): Ecological aspects of the fish fauna of the Mucajáí River, in the Paredão Island region, Roraima, Brazil. [in Portuguese] 10(3): 339-352
- FITTKAU, E.J. (1968): *Siolimyia amazonica* n.gen. n.spec., a chironomid capable of flight (Diptera) with a hypopygium inversum. [in German] 1(3): 259-265
- FITTKAU, E.J. (1968): A new Tanypodinae-genus, *Djalmabatista* (Chironomidae, Dipt.), from the Brazilian Amazon region. [in German] 1(4): 327-349
- FITTKAU, E.J. (1973): Crocodiles and the nutrient metabolism of Amazonian waters 4(1): 103-133
- FITTKAU, E.J. (1973): Species richness of Amazonian biotopes from the ecological point of view. [in German] 4(3): 321-340
- FITTKAU, E.J. (1974): On the ecological classification of Amazonia. 1. The geological development of Amazonia. [in German] 5(1): 77-134
- FITTKAU, E.J. (2000): Obituary Dr. Friedrich Reiss (1937-1999). [in German & English] 16(1/2): 277-282
- FITTKAU, E.J. (2001): Amazonian Chironomidae (Diptera, Chironomidae): A contribution to chironomid research in the Neotropics 16(3/4): 313-323
- FLINT, O.S. Jr. (1971): Studies of Neotropical caddisflies, XII: Rhyacophilidae, Glossosomatidae, Philopotamidae, and Psychomyiidae from the Amazon Basin (Trichoptera) 3(1): 7-67
- FLINT, O.S. Jr. (1978): Studies of Neotropical caddisflies. XXII: Hydropsychidae of the Amazon Basin (Trichoptera) 6(3): 373-421
- FODDAI, D., PEREIRA, L.A. & A. MINELLI (2000): A catalogue of the geophilomorph centipedes (Chilopoda) from Central and South America including Mexico 16(1/2): 59-185
- FÖRSTER, K. (1969): Amazonian desmids. 1st part: Area Santarém. [in German] 2(1/2): 5-232
- FÖRSTER, K. (1974): Amazonian desmids. 2nd part: Area Maués - Abacaxis. [in German] 5(2): 135-242
- FONSECA LEAL, J.J., ESTEVES, F.A. & M. CALLISTO (2004): Distribution of Chironomidae larvae in an Amazonian flood-plain lake impacted by bauxite tailings (Brazil) 18(1/2): 109-123

- FRÄNZLE, O. (1976): The water conservation of the Amazonian rain forest and its influence by man. [in German] 6(1): 21-46
- FRÄNZLE, O. (1978): The structure and carrying capacity of ecosystems. [in German] .. 6(3): 279-297
- FRANCESCHINI, M.C., ADIS, J., POI DE NEIFF, A. & M.L. DE WYSIECKI (2007): Phenology of *Cornops aquaticum* (Orthoptera: Acrididae) on a floating meadow of *Eichhornia azurea* (Pontederiaceae) in Argentina. [in Spanish] 19(3/4): 149-158
- FRANCESCHINI, M.C. CAPELLO, S., LHANO, M.G., ADIS, J. & M.L. DE WYSIECKI (2005): Morphometry of the nymphal stages in *Cornops aquaticum* (Acrididae: Leptysminae) from Argentina. [in Spanish] 18(3/4): 373-386
- FRANKEN, W. (1979): Studies in the catchment area of the Central Amazonian rain forest stream "Barro Branco" on the "terra firme". I. Discharge behavior of the stream. [in German] 6(4): 459-466
- FRANKEN, W. (1980): Studies in the catchment area of the Central Amazonian rain forest stream "Barro Branco" on the "terra firme". II. Discharge of the stream. [in German] 7(1): 1-5
- FRIEBE, B. (1989): AMAZONIANA - Contents of volumes I-X 10(4): 453-485
- FRIEBE, B. & J. ADIS (1983): Developmental cycles of Opiliones (Arachnida) in the blackwater inundation forest (igapó) of the Rio Tarumã Mirim (Central Amazonia, Brazil). [in German] 8(1): 101-110
- FURCH, B. & P. ZIMMERMANN (1983): Soluble pigments from the roots of the Amazonian water-hyacinth *Eichhornia crassipes* SOLMS. [in German] 8(1): 67-73
- FURCH, B., CORRÉA, A.F.F., NUNES DE MELLO, J.A.S. & K.-R. OTTO (1985): Light regimes in three aquatic ecosystems of different physico-chemical properties. 1. Attenuation, irradiance reflectance and comparison between downwelling, upwelling and scalar irradiances (PAR). [in German] 9(3): 411-430
- FURCH, K. (1985): Hydrogeochemistry of freshwaters crossed by the Transamazon highway, Northern Brazil. [in German] 9(3): 371-409
- FURCH, K., JUNK, W.J. & Z.E.S. CAMPOS (1989): Nutrient dynamics of decomposing leaves from Amazonian floodplain forest species in water 11(1): 91-116
- FURCH, K., JUNK, W.J., DIETERICH, J. & N. KOCHERT (1983): Seasonal variation in the major cation (Na, K, Mg, and Ca) content of the water of Lago Camaleão, an Amazonian floodplain-lake near Manaus, Brazil 8(1): 75-89
- GAMA, DA M.M. & E. PEREIRA DE OLIVEIRA (1994): Evolutionary systematics of *Xenylla*.XVI. Description of a new species in Amazonia (Insecta: Collembola). [in Spanish] 13(1/2): 205-208
- GARCIA, M.V.B. & J. ADIS (1995): Nesting behaviour of *Trypoxylon (Trypargilum) rogenhoferi* KOHL (Hymenoptera, Sphecidae) in a várzea inundation forest of Central Amazonia. [in Portuguese] 13(3/4): 259-282
- GEISLER, R. (1967): On the limnochemistry of the Igarapé Préto. [in German] I(2):117-123
- GEISLER, R. & S.R. ANNIBAL (1984): Ecology and conditions of breeding of the cardinal-tetra *Paracheirodon axelrodi* (Pisces, Characoidea) in the area of the Rio Negro/Brazil. [in German] 9(1): 53-86
- GEISLER, R. & J. SCHNEIDER (1976): The element matrix of Amazon waters and its relationship with the mineral content of fishes. (Determinations using Neutron Activation Analysis) 6(1): 47-65
- GÉRY, J. (1970): The genus *Iguanodectes* COPE (Pisces, Characoidei). [in French] 2(4): 417-433
- GÉRY, J. (1979): The Serrasalmidae (Pisces, Characoidei) from the Serra do Roncador, Mato Grosso, Brasil 6(4): 467-495

- GERECKE, R. (1995): Water mites from Ecuador I. A new genus of the family
Anisitsiellidae KOENIKE, 1909 (Acaria: Hydrachnella) from a rain
forest stream in the province of Esmeraldas 13(3/4): 417-422
- GOCH, Y.G.F., KRUMME, U., SAINT-PAUL, U. & J.A.S. ZUANON (2005):
Seasonal and diurnal changes in the fish fauna composition of a mangrove
lake in the Caeté estuary, north Brazil 18(3/4): 299-315
- GOLOVATCH, S.I. (1992): Review of the Neotropical fauna of the millipede
family Fuhrmannodesmidae, with the description of four new species
from near Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida) 12(2): 207-226
- GOLOVATCH, S.I. (1992): Review of the Neotropical millipede genus
Onciurosoma SILVESTRI, 1932, with the description of three new
species from near Manaus, Central Amazonia, Brazil (Diplopoda,
Polydesmida, Paradoxosomatidae) 12(2): 227-237
- GOLOVATCH, S.I. (1994): Further new Fuhrmannodesmidae from the environs of
Manaus, Central Amazonia, Brazil, with a revision of *Cryptogonodesmus*
SILVESTRI, 1898 (Diplopoda, Polydesmida) 13(2): 131-161
- GOLOVATCH, S.I. (1996): Two new and one little-known species of the millipede
family Pyrgodesmidae from near Manaus, Central Amazonia, Brazil
(Diplopoda: Polydesmida) 14(1/2): 109-120
- GOLOVATCH, S.I. (1996): A new species of *Cutervodesmus* KRAUS, 1957, from the
environs of Manaus, Central Amazonia, Brazil, with notes on the genus
(Diplopoda: Polydesmida: Fuhrmannodesmidae) 14(1/2): 137-141
- GOLOVATCH, S.I. (1997): On some further Neotropical Pyrgodesmidae, partly
from the environs of Manaus, Central Amazonia, Brazil (Diplopoda,
Polydesmida) 14(3/4): 323-334
- GOLOVATCH, S.I. (1999): On six new and some older Pyrgodesmidae from the
environs of Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida) 15(3/4): 221-238
- GOLOVATCH, S.I. (2001): *Agnurodesmus siolii* n.sp., the first Cyrtodesmidae
to be reported from Brazil, with remarks on the genus and family
(Diplopoda, Polydesmida) 16(3/4): 325-336
- GOLOVATCH, S.I. (2002): On two species of the millipede genus *Pycnotropis*
CARL, 1914 from Amapá state, Brazil (Diplopoda, Polydesmida,
Aphelidesmidae) 17(1/2): 173-176
- GOLOVATCH, S.I. & J. ADIS (1998): Description of *Taulidesmella tabatinga* n.sp.
(Diplopoda, Polydesmida, Pyrgodesmidae) from Amazon River floodplains,
with notes on its distribution and ecology 15(1/2): 57-66
- GOLOVATCH, S.I. & R.L. HOFFMAN (2004): On two new chelodesmid millipedes
from Amapá, Brazil (Diplopoda, Polydesmida, Chelodesmidae) 18(1/2): 49-55
- GOLOVATCH, S.I., HOFFMAN, R.L. & J. ADIS (1999): A new species of
Chondrodesmus SILVESTRI, 1897, from near Tefé, Central Amazonia,
Brazil, with first ecological observations (Diplopoda, Polydesmida,
Chelodesmidae) 15(3/4): 269-277
- GOLOVATCH, S.I., HOFFMANN, R.L., MÁRMOL, A. & J. ADIS (2003): A new,
apparently arboricolous species of the millipede genus *Mestosoma* SILVESTRI,
1897 from near Iquitos, Peruvian Amazonia (Diplopoda: Polydesmida:
Paradoxosomatidae) 17(3/4): 343-348
- GOLOVATCH, S.I., HOFFMAN, R.L., ADIS, J., VOHLAND, K. & A. MÁRMOL
(1997): On the identity of further two millipede species (Diplopoda) from the
environs of Manaus, Central Amazonia 14(3/4): 301-309

- GOLOVATCH, S.I., HOFFMAN, R.L., ADIS, J., SPELDA, J., VOHLAND, K. & D. SEITZ (2004): The millipede subfamily Aphelidesminae in Amazonia (Diplopoda, Polydesmida, Aphelidesmidae) 18(1/2): 57-73
- GOLOVATCH, S.I., VOHLAND, K., HOFFMAN, R.L., ADIS, J., MÁRMOL, A., BACHMANN, L. & J. TOMIUK (1998): Review of the Neotropical millipede genus *Pycnotropis* CARL, 1914 (Diplopoda, Polydesmida, Aphelidesmidae) 15(1/2): 67-102
- GOLOVATCH, S.I., HOFFMAN, R.L., ADIS, J., MARQUES, M.I., RAIZER, J., SILVA, F.H.O., RIBEIRO, R.A.K., SILVA, J.L. & T.G. PINHEIRO (2005): Millipedes (Diplopoda) of the Brazilian Pantanal 18(3/4): 273-288
- GOPAL, B. (2001): Holy Ganga and the mighty Amazon 16(3/4): 337-348
- GRABERT, H. (1984): Possible migration and phylogeny of the South-American Inidae (Cetacea, Mammalia). [in German] 8(3): 365-374
- GRENAND, F. & P. GRENAND (1993): Historical stages of the várzea settlements in the Amazon. [in Portuguese] 12(3/4): 509-526
- GUILLAUMET, J.-L., LOURD, M., BAHRI, S. & A.A. DOS SANTOS (1993): Agricultural systems on Careiro Island. [in Portuguese] 12(3/4): 527-550
- HAFFER, J. (1977): Pleistocene speciation in Amazonian birds 6(2): 161-191
- HAFFER, J. & G.T. PRANCE (2001): Climatic forcing of evolution in Amazonia during the Cenozoic: On the refuge theory of biotic differentiation 16(3/4): 579-607
- HANAGARTH, W. (1983): Floodplains in the Peruvian Amazon region as faunal sources for agrarian areas. [in German] 8(1): 111-128
- HARDY, E.R. (1992): Changes in species composition of Cladocera and food availability in a floodplain lake, Lago Jacaretinga, Central Amazon 12(2): 155-168
- HARDY, E.R., ROBERTSON, B. & W. KOSTE (1984): About the relationship between the zooplankton and fluctuating water levels of Lago Camaleão, a Central Amazonian várzea lake 9(1): 43-52
- HERO, J.-M. (1990): An illustrated key to tadpoles occurring in the Central Amazon rainforest, Manaus, Amazonas, Brasil 11(2): 201-262
- HEUVELDOP, J. (1978): First results of meteorological investigations in the rain forest stands of San Carlos de Rio Negro. [in German] 6(3): 299-300
- HEUVELDOP, J. (1980): Bioclimate of San Carlos de Rio Negro, Venezuela. [in German] 7(1): 7-17
- HOFFMAN, R.L. (1985): A new millipede of the genus *Gonographis* from an inundation forest near Manaus, Brazil (Pyrgodesmidae) 9(2): 243-246
- HOFFMAN, R.L. (1995): Redefinition of the milliped genus *Pycnotropis* and description of a new species from Manaus, Brazil (Polydesmida: Platyrhacidae: Euryurinae) 13(3/4): 283-292
- HOFFMAN, R.L., GOLOVATCH, S.I., ADIS, J. & J.W. DE MORAIS (1996): Practical keys to the orders and families of millipedes of the Neotropical region (Myriapoda: Diplopoda) 14(1/2): 1-35
- HOOGHIEMSTRA, H. (2001): The continuing debate on the history of the Amazonian rain forest. - Scientific note 16(3/4): 653-656
- HOWARD-WILLIAMS, C. (1974): Nutritional quality and calorific value of Amazonian forest litter 5(1): 67-75
- HUSZAR, V.L.M. (1996): Planktonic algae, other than desmids, of three Amazonian systems (Lake Batata, Lake Mussurá and Trombetas River), Pará, Brazil 14(1/2): 37-73
- IRION, G. (1976): The development of the Central and Upper Amazonian lowland during the late Pleistocene and the Holocene. [in German] 6(1): 67-79

- IRION, G., ADIS, J., JUNK, W.J. & F. WUNDERLICH (1983):
 Sedimentological studies of the "Ilha de Marchantaria" in the
 Solimões/Amazon River near Manaus 8(1): 1-18
- IRMLER, U. (1973): Population-dynamic and physiological adaptation of
Pentacomia egregia CHAUD. (Col., Cicindelidae) to the Amazonian
 inundation forest 4(2): 219-227
- IRMLER, U. (1975): Ecological studies of the aquatic soil invertebrates
 in three inundation forests of Central Amazonia 5(3): 337-409
- IRMLER, U. (1978): The structure of the carabid- and staphylinid-
 community in Central Amazonian inundation forests. [in German] 6(3): 301-326
- IRMLER, U. (1985): Temperature dependant generationcycle for the
 cicindelid beetle *Pentacomia egregia* CHAUD. (Coleoptera, Carabidae,
 Cicindelinae) of the Amazon valley 9(3): 431-439
- IRMLER, U. (1989): Population-ecology and migration of *Dero multibranchiata*
 STIEREN, 1892 (Naididae, Oligochaeta) in the Central Amazon inundation
 forest 11(1): 31-52
- IRMLER, U. (2001): New Neotropical species of the genera *Clavilispinus*,
Aneucamptus, *Thoracophorus*, and *Holotrochus* (Coleoptera: Staphylinidae,
 Osorinae) 16(3/4): 349-361
- IRMLER, U. (2003): Distribution, redescription and description of new
 species of the *Clavilispinus exiguus* group (Coleoptera: Staphylinidae,
 Osorinae) in the Neotropical region 17(3/4): 349-360
- IRMLER, U. & K. FURCH (1979): Production, energy, and nutrient turnover
 of the cockroach *Epilampra irmeleri* ROCHA e SILVA & AGUIAR in a
 Central-Amazonian inundation forest 6(4): 497-520
- ISHII, K., NGUYEN DUY-JACQUEMIN, M. & B. CONDÉ (1999): The first
 penicillate millipedes from the vicinity of Manaus, Central
 Amazonia, Brazil (Diplopoda: Polyxenida) 15(3/4): 239-267
- JEDICKE, A., FURCH, B., SAINT-PAUL, U. & U.-B. SCHLÜTER (1989):
 Increase in the oxygen concentration in Amazon waters resulting from
 the root exudation of two notorious water plants, *Eichhornia*
crassipes (Pontederiaceae) and *Pistia stratiotes* (Araceae) 11(1): 53-69
- JUNK, W.J. (1970): Investigations on the cology and production-biology
 of the "floating meadows" (Paspalo-Echinocloetum) on the Middle
 Amazon. Part I: The floating vegetation and its ecology 2(4): 449-495
- JUNK, W.J. (1973): Investigations on the ecology and production-biology
 of the "floating meadows" (Paspalo-Echinocloetum) on the Middle
 Amazon. Part II. The aquatic fauna in the root zone of floating vegetation 4(1): 9-102
- JUNK, W.J. (1973): Faunistic-ecological studies as possibility for the
 definition of biotopes, exemplified for floodplains. [in German] 4(3): 263-271
- JUNK, W.J. (1980): The importance of water-level fluctuations for the
 ecology of floodplain regions, exemplified for the várzea of the
 Middle Amazon. [in German] 7(1): 19-29
- JUNK, W.J. (1985): Temporary fat storage, an adaptation of some fish species to the
 waterlevel fluctuations and related environmental changes of the Amazon river 9(3): 315-351
- JUNK, W.J. (1987): LOWE-McCONNELL, R.H.: Ecological studies in tropical fish
 communities. - Book review. [in German] 10(2): 237
- JUNK, W.J. (1989): ENGELS, W. (ed.) 1987: The tropics as biotope. - Book review.
 [in German] 10(4): 487
- JUNK, W.J. (1997): Ecological studies on crocodilians in Suriname.
 P.E. OUBOTER. - Book review 14(3/4): 221

- JUNK, W.J. (1999): Obituary Dr. Hans Klinge (1928-1999) 15(3/4): 165-168
- JUNK, W.J. (2000): A águe e o homem na várzea do Careiro. 2nd edition.
- H.O'R. STERNBERG (ed.). - Book review 16(1/2): 275-276
- JUNK, W.J. (2001): Appraisal of the scientific work of Harald SIOLI 16(3/4): 285-297
- JUNK, W.J. (2007): Preface 19(3/4): 33-34
- JUNK, W.J. (2007): POR, F.D., IMPERATRIZ-FONSECA, V.L. & F. LENCIOSKI NETO
Biomes of Brazil: An Illustrated Natural History. - Book review 19(3/4): 217
- JUNK, W.J. (2007): SIOLI, H.: Lived, loved Amazonia: Research travels in the
Brazilian rainforest between 1940 and 1962. - Book review. [in German] 19(3/4): 233-234
- JUNK, W.J. (2007): TUDORANCEA, C. & M.M. TUDORANCEA: Danube Delta:
Genesis and Biodiversity. - Book review 19(3/4): 219-221
- JUNK, W.J. & M.T.F. PIEDADE (1993): Herbaceous plants of the Amazon floodplain
near Manaus: Species diversity and adaptations to the flood pulse 12(3/4): 467-484
- JUNK, W.J., SOARES, G.M. & F.M. CARVALHO (1983): Distribution of fish
species in a lake of the Amazon river floodplain near Manaus (Lago
Camaleão), with special reference to extreme oxygen conditions 7(4): 397-431
- KERN, J. & A. DARWICH (2003): The role of periphytic N₂ fixation for stands
of macrophytes in the whitewater floodplain (várzea) 17(3/4): 361-375
- KIEFER, F. (1967): Two new *Parastenocaris*-species (Copepoda, Harpacticoida)
from the Middle Amazon region. [in German] 1(2): 131-134
- KIEFER, F. (1968): Two further *Parastenocaris* species (Copepoda, Harpacticoida)
from the Middle Amazon region. [in German] 1(3): 257-258
- KLINGE, H. (1973): Structure and species richness of the Central Amazonian
rain forest. [in German] 4(3): 283-292
- KLINGE, H. (1977): Preliminary data on nutrient release from decomposing leaf litter
in a Neotropical rain forest 6(2): 193-202
- KLINGE, H. (1978): The phytomass of dominant tree species in an Amazonian
caatinga. [in German] 6(3): 327-328
- KLINGE, H. (1985): Foliar nutrient levels of native tree species from Central Amazonia.
2. Campina 9(3): 281-295
- KLINGE, H. & W.A. RODRIGUES (1968): Litter production in an area of Amazonian
terra firme forest. Part I. Litter-fall, organic carbon and total nitrogen
contents of litter 1(4): 287-301
- KLINGE, H. & W.A. RODRIGUES (1968): Litter production in an area of Amazonian
terra firme forest. Part II. Mineral nutrient content of the litter 1(4): 303-310
- KLINGE, H., FURCH, K. & E. HARMS (1984): Selected bioelements in bark and wood
of native tree species from Central-Amazonian inundation forests 9(1): 105-117
- KLINGE, H., FURCH, K., HARMS, E. & J. REVILLA (1983): Foliar nutrient levels of
native tree species from Central Amazonia. I. Inundation forests 8(1): 19-45
- KNÖPPEL, H.-A. (1970): Food of Central Amazonian fishes. Contribution to the
nutrient-ecology of Amazonian rain-forest-streams 2(3): 257-351
- KNÖPPEL, H.-A. (1972): On nutrition of tropical fresh-water fishes from South
America. - Some selected species of the Anostomidae, Curimatidae, Hemiodidae
and Characidae (Pisces, Characoidei). [in German] 3(2): 231-257
- KNÖPPEL, H.-A., JUNK, W.J. & J. GÉRY (1968): *Bryconops (Creatochanes) inpa*,
a new characoid fish from the Central Amazon Region, with a review of the
genus *Bryconops* 1(3): 231-246
- KOEPCKE, H.-W. (1976): Peruvian natural landscapes as centers of evolution.
[in German] 6(1): 81-85

- KOHLHEPP, G. (1976): State and problems of the Brazilian development planning in Amazonia. [in German] 6(1): 89-104
- KOHLHEPP, G. (2001): Amazonia 2000: An evaluation of three decades of regional planning and development programmes in the Brazilian Amazon region 16(3/4): 363-395
- KOSTE, W. (1972): Rotatorians from Amazonian waters. [in German] 3(3/4): 258-505
- KOSTE, W. (1974): To the knowledge of the rotatorian fauna of the "floating meadows" of a shore lagoon in the várzea of Amazonia, Brazil [in German] 5(1): 25-59
- KOSTE, W. (1988): On the rotifers of some standing waters near the Biological Station Panguana in the tropical rain forest of Peru. [in German] 10(3): 303-325
- KOSTE, W. & K. BÖTTGER (1989): Rotifers from Ecuadorian waters. [in German] 10(4): 407-438
- KOSTE, W. & K. BÖTTGER (1992): Rotifers from Ecuadorian waters II. [in German] 12(2): 263-303
- KOSTE, W. & E.R. HARDY (1984): Taxonomic studies and new distribution records of Rotifera (Phylum Aschelminthes) from Rio Jatapú and Uatumã, Amazonas, Brazil 9(1): 17-29
- KOSTE, W. & B. ROBERTSON (1983): Taxonomic studies of the Rotifera (Phylum Aschelminthes) from a Central Amazonian várzea lake, Lago Camaleão (Ilha de Marchantaria, Rio Solimões, Amazonas, Brazil) 8(2): 225-254
- KOSTE, W. & B. ROBERTSON (1990): Taxonomic studies of the rotifera from shallow waters on the Island of Maracá, Roraima, Brazil 11(2): 185-200
- KOSTE, W., ROBERTSON, B. & E. HARDY (1984): Further taxonomical studies of the Rotifera from Lago Camaleão, a Central Amazonian várzea lake (Ilha de Marchantaria, Rio Solimões, Amazonas, Brazil) 8(4): 555-576
- KUBITZKI, K. (1989): Amazon lowland and Guayana highland - Historical and ecological aspects of the development of their floras. [in German] 11(1): 1-12
- KURY, A.B. (1995): A review of *Huralvioides* (Opiliones, Gonyleptidae, Pachylinae) 13(3/4): 315-323
- LEAL, J.J.F. & F. DE A. ESTEVES (1999): Density and biomass of *Campsurus* sp. (Ephemeroptera) and other macroinvertebrates in an Amazonian lake impacted by bauxite tailings (Lago Batata, Pará, Brazil) 15(3/4): 193-209
- LEENTVAAR, P. (1973): Further developments in Lake Brokopondo, Surinam 4(1): 1-8
- LEENTVAAR, P. (1979): Additions and corrections to the Brokopondo study (Surinam) 6(4): 521-528
- LHANO, M.G., ADIS, J., MARQUES, M.I. & L.D. BATTIROLA (2005): Cornops aquaticum (Orthoptera, Acrididae, Leptysminae): food plant acceptance in nymphs living on *Eichhornia azurea* in the northern Pantanal, Brazil. [in Portuguese] 18(3/4): 397-404
- LIMA, I.M.B. (1996): A new species of *Circoniscus* PEARSE, 1917 (Crustacea: Isopoda: Scleropactidae) from the Amazonian region of Brazil. [in Portuguese] 14(1/2): 91-100
- LIMA, I.M.B. (1996): A new species of *Prosekia* VANDEL, 1968 (Philosciidae: Isopoda) from Amazonia of Brazil. [in Portuguese] 14(1/2): 101-108
- LIN, D.S.C. & É. PELLEGRINI-CARAMASCHI (2005): Seasonal and diel stability of limnological parameters and habitat structure in a floodplain lake silted by bauxite tailings (Lago Batata, Pará, Brazil) 18(3/4): 185-202
- LINDNER, E. (1965): Stratiomyiids from the Amazon region. [in German] 1(1): 84-86
- LOURD, M. (1993): The main pathogens of cultivated plants on Careiro Island. [in French] 12(3/4): 565-576
- LOURENÇO, W.R. (1986): Diversity of the scorpion fauna from Amazonia; centres of endemism; new support for the theory of Pleistocene forest refuges. [in French] 9(4): 559-580
- LOURENÇO, W.R. (1988): Synopsis of the scorpion fauna of the Manaus region, Amazonas State, Brazil, with description of two new species. [in French] 10(3): 327-337

- LOURENÇO, W.R. (2005): Scorpion diversity and endemism in the Rio Negro region of Brazilian Amazonia, with the description of two new species of *Tityus* C.L. KOCH (Scorpiones, Buthidae) 18(3/4): 203-213
- LOURENÇO, W.R. & E. APARECIDA DA SILVA (2007): New evidence for a disrupted distribution pattern of the 'Tityus confluens' complex, with the description of a new species from the State of Pará, Brazil (Scorpiones, Buthidae) 19(3/4): 77-86
- LOURENÇO, W.R. & E. FLOREZ (1990): Scorpions (Chelicerata) from Colombia. III. The scorpio-fauna of pacific region (Choco), with some biogeographic considerations 11(2): 119-133
- LOURENÇO, W.R. & O.F. FRANCKE (1986): A new species of *Chactopsis* from Brazil (Scorpiones, Chactidae) 9(4): 549-558
- LOURENÇO, W.R. & A. PÉZIER (2002): Addition to the scorpion fauna of the Manaus region (Brazil), with a description of two new species of *Tityus* from the canopy 17(1/2): 177-186
- LOURENÇO, W.R. & R. PINTO-DA-ROCHA (2000): Additions to the knowledge of the Chactidae of Brazilian Amazonia (Arachnida: Scorpiones) 16(1/2): 259-274
- LOURENÇO, W.R., ADIS, J. & J. DE S. ARAÚJO (2005): A new synopsis of the scorpion fauna of the Manaus region in Brazilian Amazonia, with special reference to an inundation forest at the Tarumã Mirim river 18(3/4): 241-249
- MAGALHÃES, C. (1985): The larval development of palaemonids from the Amazon Region reared in the laboratory. I. *Macrobrachium amazonicum* (HELLER, 1862) (Crustacea, Decapoda). [in Portuguese] 9(2): 247-274
- MAGALHÃES, C. (1986): A taxonomic revision of the Brazilian freshwater crabs of the family Pseudothelphusidae (Crustacea, Decapoda). [in Portuguese] 9(4): 609-636
- MAGALHÃES, C. (1986): The larval development of palaemonid shrimps from the Amazon region reared in the laboratory. IV. Abbreviated development of *Palaemonetes ivonicus* HOLTHUIS, 1950 (Crustacea: Decapoda) 10(1): 63-78
- MAGALHÃES, C. (1989): The larval development of palaemonid shrimps from the Amazon region reared in the laboratory. VI. Abbreviated development of *Macrobrachium nattereri* (HELLER, 1862) (Crustacea: Decapoda) 10(4): 379-392
- MAGALHÃES, C. (2003): The occurrence of freshwater crabs (Crustacea: Decapoda: Pseudothelphusidae, Trichodactylidae) in the Rio Xingu, Amazon Region, Brazil, with description of a new species of Pseudothelphusidae 17(3/4): 377-386
- MAGALHÃES, C., MALTA, J.C. DE O., ROBERTSON, B. & A. VARELLA (1988): A catalogue of type specimens of Crustacea in the Invertebrate Collection of the Instituto Nacional de Pesquisas da Amazônia, Manaus, Brazil, up to January, 1988 10(3): 267-282
- MAGNUSSON, W.E. (1985): Habitat selection, parasites and injuries in Amazonian crocodilians 9(2): 193-204
- MAHNERT, V. (1985): Further records of pseudoscorpions (Arachnida) from the Central Amazon region (Brazil). [in German] 9(2): 215-241
- MAHNERT, V., ADIS, J. & P.F. BÜHRNHEIM (1986): Key to the families of Amazonian Pseudoscorpiones (Arachnida). [in English, German and Portuguese] 10(1): 21-40
- MAIA, L.A. & M.T.F. PIEDADE (2002): Influence of the flood pulse on leaf phenology and photosynthetic activity of trees in a flooded forest in Central Amazonia/Brazil 17(1/2): 53-63
- MALTA, J.C.O. & E.N.S. SILVA (1986): *Argulus amazonicus* n.sp., a crustacean parasite of fishes from the Brazilian Amazon (Branchiura: Argulidae). [in Portuguese] 9(4): 485-492

- MALTA, J.C.O. & A. VARELLA (1986): *Ergasilus holobryconis* sp.n., a crustacean parasite of *Holobrycon pesu* (MÜLLER & TROSCHELL), a fish from the Brazilian Amazon (Copepoda: Poecilostomatoida: Ergasilidae). [in Portuguese] 10(1): 41-48
- MANSUR, M.C.D. & M.G.O. DA SILVA (1990): Compared morphology and micro-anatomy of *Bartlettia stefanensis* (MORICAND, 1856) with *Anodontites tenebris* (LEA, 1834) (Bivalvia, Unionoidea, Muteloidea). [in Portuguese] 11(2): 147-166
- MANSUR, M.C.D. & R.M. VALER (1992): Bivalve molluscs from Rio Uraricoera and Rio Branco, Roraima, Brazil. [in Portuguese] 12(1): 85-100
- MARLIER, G. (1967): Ecological studies on some lakes of the Amazon valley 1(2): 91-115
- MARQUES, M.I., ADIS, J., BATTIROLA, L.D., BRESCOVIT, A.D., SILVA, F.H.O. & J.L. SILVA (2007): Composição da comunidade de artrópodes associada à copa de *Calophyllum brasiliense* (Guttiferae) no Pantanal, Mato Grosso, Brasil 19(3/4): 131-148
- MARTIUS, C. (2003): Rainfall and air humidity: non-linear relationships with termite swarming in Amazonia 17(3/4): 387-397
- MATTERN, T. & B. FURCH (1987): Ecological and physiological investigations on *Eichhornia crassipes* (MART.) SOLMS. II. Studies of root structure and the dependence of pigment deposition on the age and physiological state of the roots 10(2): 173-180
- MAURIÈS, J.-P. (1984): First records of stemmiulides from Brazil: Three new species from the Manaus region including one from the inundation forest (*Prostemmiulus adisi* n.sp.) (Myriapoda: Diplopoda: Stemmiulida). [in French] 8(3): 375-387
- MEDINA, E., DELGADO, M. & V. GARCIA (1989): Cation accumulation and leaf succulence in *Cadonanthe macradenia* J.D. SMITH (Gesneriaceae) under field conditions 11(1): 13-22
- MEDINA, E., GIARRIZZO, T., MENEZES, M., CARVALHO LIRA, M., CARVALHO, E.A., PERES, A., SILVA B., A., VILHENA, R., REISE, A. & F.C. BRAGA (2001): Mangal communities of the "Salgado Paraense": Ecological heterogeneity along the Bragança peninsula assessed through soil and leaf analyses 16(3/4): 397-416
- MEDVEDEV, L.N. (2001): A new species of *Lysathia* BECHYNÉ, 1959 from the Pantanal, Brazil (Insecta, Coleoptera, Chrysomelidae, Alticinae) 16(3/4): 417-420
- MEDVEDEV, L.N. (2004): A new species of *Myochrous* DEJEAN, 1837 from Brazil (Coleoptera, Chrysomelidae, Eumolpinae) 18(1/2): 151-155
- MEES, G.F. (1984): A note on the genus *Tocantinsia* (Pisces, Nematognathi, Auchenipteridae) 9(1): 31-34
- MEGGERS, B.J. (2001): The mystery of the Marajoara: An ecological solution 16(3/4): 421-440
- MELO, S., HUSZAR, V.L.M., ROLAND, F., ESTEVES, F.A. & R. BOZELLI (2004): Phytoplankton diel variation and vertical distribution in two Amazonian flood-plain lakes (Batata Lake and Mussurá Lake, Pará-Brasil) with different mixing regimes 18(1/2): 1-10
- MERELES, F., DEGEN, R. & N. LOPEZ DE KOCHALCA (1992): Humide areas in Paraguay: description of vegetation. [in Spanish] 12(2): 305-316
- MÉRONA, B. DE (1993): Ecological conditions of the production in a floodplain island of Central Amazonia: A multidisciplinary project. [in French] 12(3/4): 353-363
- MÉRONA, B. DE & M.M. BITTENCOURT (1993): Fish communities of the "Lago do Rei", a floodplain lake in the Central Amazon: a general description. [in French] 12(3/4): 415-441
- MÉRONA, B. DE & M.M. BITTENCOURT (1993): Factors and constraints of the commercial fishing activity in the Central Amazon: a case study of a floodplain lake (The "Lago do Rei", Amazon, Brazil). [in Portuguese] 12(3/4): 443-465

- MOREIRA, L.C. & O. ODINETZ COLLART (1993): Diel vertical migration of the prawn larvae of *Macrobrachium amazonicum* (HELLER, 1862) in a Central Amazonian floodplain lake, Careiro Island, Brazil. [in Portuguese] 12(3/4): 385-398
- MOUND, L.A. & J.M. PALMER (1986): Patterns of speciation in Neotropical spore-feeding thrips of the genus *Zeugmatothrips* (Insecta, Thysanoptera, Phlaeothripidae) 9(4): 581-594
- MÜLLER, P. (1973): Historic-biogeographical problems of the species richness of South American rain forests. [in German] 4(3): 229-242
- MÜLLER, P. (1974): Josef Schmidthüsen to his 65th birthday. [in German] 5(1): 1-2
- MÜLLER, P. (1976): On the diversity and biomass of the reptile fauna in the Central Amazonian rain forest near Manaus. [in German] 5(4): 539-543
- MÜLLER, P. (1979): Space linkage and genesis of Southern Brazilian area systems. [in German] 6(4): 529-535
- MÜLLER, P. (1979): The evolution of the *Liolaemus wiegmanni*-complex and the dispersal centres in Brazil 6(4): 537-555
- MÜLLER, P. (1989): Biomonitoring of chemicals on tropical ecosystems 11(1): 71-89
- MÜLLER, P. & G. WEIMER (1976): Notes on the distribution centers of South American callichthyids and cichlids. [in German] 6(1): 105-121
- MÜLLER, P., NAGEL, P. & W. FLACKE (1980): Ecological influence of tsetse fly control with dieldrin in the upland of Adamoa (Cameroun). [in German] 7(1): 31-48
- NAGEL, P. & A. SCHÄFER (1978): The biotic diversity as factor for the system analysis. [in German] 6(3): 329-345
- NESSIMIAN, J.L., DORVILLÉ, L.F.M., SANSEVERINO, A.M. & D.F. BAPTISTA (1998): Relation between flood pulse and functional composition of the macro-invertebrate benthic fauna in the lower Rio Negro, Amazonas, Brazil 15(1/2): 35-50
- NOLTE, U. (1987): *Campsurus notatus* (Polymitarcidae, Ephemeroptera) a bioturbator in várzea lakes 10(2): 219-222
- NOODT, W. (1973): Species richness and MONARD's principle in Crustacea of the limnopsammon in the Neotropics. [in German] 4(3): 255-261
- NORTCLIFF, S., THORNES, J.B. & M.J. WAYLEN (1979): Tropical forest systems: A hydrological approach 6(4): 557-568
- NUNES DA CUNHA, C., JUNK, W.J. & H.F. LEITÃO-FILHO (2007): Woody vegetation in the Pantanal of Mato Grosso, Brazil: a preliminary typology 19(3/4): 159-184
- NUNES DA CUNHA, C., RAWIEL, P., WANTZEN, K.M., JUNK, W.J. & A. LEMES DO PRADO (2006): Mapping and characterization of vegetation units by means of Landsat imagery and management recommendations for the Pantanal of Mato Grosso (Brazil), north of Poconé 19(1/2): 1-32
- OCHS, G. (1965): Fourth contribution to the knowledge of the whirligig beetles of the Amazon region (Col., Gyrinidae). [in German] 1(1): 36-73
- OCHS, G. (1967): Fifth contribution to the knowledge of the whirligig beetles of the Amazon region (Col., Gyrinidae). [in German] 1(2): 135-171
- ODINETZ COLLART, O. & L.C. MOREIRA (1993): Fishery potential of *Macrobrachium amazonicum* in Central Amazonia (Careiro Island): abundance and size variation. [in Portuguese] 12(3/4): 399-413
- OHLY, J.J. (1985): Aspects of the recent development of the water buffalo husbandry in the Central Amazon region. [in German] 9(3): 441-457
- OLIVEIRA, E.P. DE (1993): Influence of different cropping systems on the density of terrestrial invertebrates in várzea soil of Central Amazonia. [in Portuguese] 12(3/4): 495-508
- OLIVEIRA, E.P. DE & J.-M. THIBAUD (1988): A new genus of Hypogastruridae (Insecta: Collembola) in Amazonia. [in French] 10(3): 299-302

- PAGÉS, J. (2000): *Parajapyx (P.) adisi* n.sp., the first Diplura Parajapygidae of inundation forests in Central Amazonia. [in French] 16(1/2): 213-222
- PAGÉS, J. (2001): ERRATUM: AMAZONIANA XVI(1/2): 213-222, 2000: 16(3/4): 657
- PANOV, E.N. & S.I. GOLOVATCH (2007): WALKER, I.: The evolution of biological organization as a function of information. - Book review 19(3/4): 223-224
- PAIVA, M.P. & F.H. NEPOMUCENO (1989): On the reproduction in captivity of the oscar, *Ostronotus ocellatus* (CUVIER), according to the mating methods (Pisces - Chichlidae) 10(4): 361-377
- PANOSSO, R. DE F., MUEHE, D. & F. DE A. ESTEVES (1995): Morphological characteristics of an Amazon floodplain lake (Lake Batata, Pará State, Brazil) 13(3/4): 245-258
- PAOLINI, J. (1979): Humic substances-system in the caatinga amazonica near San Carlos de Rio Negro, Venezuela. [in German] 6(4): 569-582
- PAROLIN, P. (1998): Floristic composition and structure of two stands of *Senna reticulata* differing in age 15(1/2): 113-128
- PAROLIN, P. (2000): The use of trees in forests inundated by whitewater in Central Amazonia. - Scientific note. [in Portuguese] 16(1/2): 241-248
- PAROLIN, P., ADIS, J., RODRIGUES, W.A., AMARAL, I. & M.T.F. PIEDADE (2004): Floristic study of an igapó floodplain forest in Central Amazonia, Brazil (Tarumã-Mirim, Rio Negro) 18(1/2): 29-47
- PAROLIN, P., ADIS, J., SILVA, M.F. DA, AMARAL, I.L. DO, SCHMIDT, L. & M.T.F. PIEDADE (2003): Floristic composition of a floodplain forest in the Anavilhanas archipelago, Brazilian Amazonia 17(3/4): 399-411
- PEREIRA, L.A., FODDAI, D. & A. MINELLI (2000): New taxa of Neotropical Geophilomorpha (Chilopoda) 16(1/2): 1-57
- PEREIRA, L.A., MINELLI, A. & F. BARBIERI (1994): New and little known geophilomorph centipedes from Amazonian inundation forests near Manaus, Brazil (Chilopoda: Geophilomorpha) 13(1/2): 163-204
- PEREIRA, L.A., MINELLI, A. & F. BARBIERI (1995): Description of nine new centipede species from Amazonia and related matters on Neotropical geophilomorphs (Chilopoda: Geophilomorpha) 13(3/4): 325-416
- PETRERE, M. Jr. (1983): Relationships among catches, fishing effort and river morphology for eight rivers in Amazonas State (Brazil), during 1976-1978 8(2): 281-296
- PETRERE, M. Jr. (1984): Erratum AMAZONIANA 8(2), 281-296, 1983; Relationships among catches, fishing effort and river morphology for eight rivers in Amazonas State (Brazil), during 1976-1978 8(3): 427
- PETRERE, M. Jr. (1986): Amazon fisheries I - Variations in the relative abundance of tambaqui (*Colossoma macropomum* CUVIER, 1818) based on catch and effort data of the gill-net fisheries 9(4): 527-547
- PETRERE, M. Jr. (1986): Amazon fisheries II - Variations in the relative abundance of tucunaré (*Chichla ocellaris*, *C. temensis*) based on catch and effort data of the trident fisheries 10(1): 1-13
- POLHEMUS, J.T. & D.A. POLHEMUS (1984): Studies on Neotropical Veliidae (Hemiptera). VII. Descriptions of four new species of *Paravelia* BREDDIN 8(3): 339-349
- POLHEMUS, J.T. & D.A. POLHEMUS (1984): Notes on Neotropical Veliidae (Hemiptera). IX. additional new species of *Paravelia* from South America 8(4): 497-504
- PUTHZ, V. (1975): A new caenid genus from the Amazon region (Insecta: Ephemeroptera: Caenidae). [in German] 5(3): 411-415
- PUTHZ, V. (1981): On new and known *Stenus*-species from Brazil (Coleoptera: Staphylinidae). 185. Contribution to the knowledge of Steninae. [in German] 7(2): 175-189

- PUTHZ, V. (2007): New *Stenus*, mainly from the Amazon region (Coleoptera: Staphylinidae). [in German] 19(3/4): 87-95
- PUTHZ, V. (2007): New Neotropical *Edaphus*-species (Coleoptera: Staphylinidae) 19(3/4): 97-130
- PY-DANIEL, V. (1982): Neotropical Prosimuliini (Diptera: Simuliidae). [in Portuguese] 7(3): 293-333
- PY-DANIEL, V. (1983): Description of two new Neotropical subgenera of Simuliidae (Diptera: Culicomorpha). [in Portuguese] 8(2): 159-223
- RÄTSCH, G. & K. HAASE (2007): Anatomic prerequisites for internal root aeration of three tree species of the Amazonian inundation forest 19(3/4): 185-198
- RAFAEL, J.A. (1986): *Amazunculus*, a new genus of pipunculid from the Amazon basin (Diptera, Pipunculidae) 10(1): 15-19
- RAFAEL, J.A. (1989): Description of two new species of *Eudorylas* ACZÉL (Diptera: Pipunculidae) of inundation forest and terra firme near Manaus, Amazonas, Brazil. [in Portuguese] 10(4): 401-405
- RAI, H. (1979): Microbiology of Central Amazon lakes 6(4): 583-599
- RAPP PY-DANIEL, L.H. (1985): *Dekeyseria amazonica*, new genus and new species from the Amazonian region, Brazil, and *D. scaphirhyncha* (KNER, 1854) new combination (Loricariidae: Siluriformes). [in Portuguese] 9(2): 177-191
- REHFELDT, G. (1986): Distribution and behaviour of libellulid dragonflies (Odonata: Libellulidae) during the dry season in Panamanian tropical forest. [in German] 10(1): 57-62
- REISS, F. (1973): On hydrography and macrobenthos fauna of tropical lagoons in the savanna of the Território de Roraima, Northern Brazil. [in German] 4(4): 367-378
- REISS, F. (1974): Four new *Chironomus*-species (Chironomidae, Diptera) and their ecological importance for the benthos fauna of Central Amazonian lakes and inundation forests. [in German] 5(1): 3-23
- REISS, F. (1976): Characterization of Central Amazonian lakes on account of their macrobenthos fauna. [in German] 6(1): 123-134
- REISS, F. (1977): Qualitative and quantitative investigations on the macro-benthic fauna of Central Amazon lakes. 1. Lago Tupé, a black water lake on the lower Rio Negro 6(2): 203-235
- RIBEIRO, J.S.B. & A.J. DARWICH (1993): Phytoplanktonic primary production of a fluvial island lake in the Central Amazon (Lago do Rei, Ilha do Careiro). [in Portuguese] 12(3/4): 365-383
- RIGHI, G. (1989): Three Oligochaeta, Glossoscolecidae from Amazonia. [in Portuguese] 10(4): 393-399
- RODRIGUES, W.A., FURCH, K. & †H. KLINGE (2001): Comparative study of the litterfall in a primary and secondary terra firme forest in the vicinity of Manaus, State of Amazonas, Brazil 16(3/4): 441-462
- †RODRÍGUEZ, G. & H. SUÁREZ (2004): A revision of the freshwater crabs of the family Pseudothelphusidae (Decapoda: Brachyura) from Peru with notes on the southern limits of the family 18(1/2): 11-28
- RÖMBKE, J. & M. VERHAAGH (1992): About earthworm communities in a rain forest and an adjacent pasture in Peru 12(1): 29-49
- ROLAND, F., ESTEVES, F. DE & F.A.R. BARBOSA (2002): Relationship between anthropogenically caused turbidity and phytoplankton production in a clear Amazonian floodplain lake 17(1/2): 65-77
- ROSSA, D.C. & C.C. BONECKER (2003): Abundance of planktonic and non-planktonic rotifers in lagoons of the Upper Paraná River floodplain 17(3/4): 567-581
- ROSSO DE FERRADÁS, B.E. & K. BÖTTGER (1997): Water mites from stagnant waters of Paraguay 14(3/4): 177-212

- ROWLAND, J.M. (2002): Review of the South American whip scorpions
 (Thelyphonida: Arachnida) 17(1/2): 187-204
- SAINT-PAUL, U. (1983): Investigations on the respiration of the Neotropical fish,
 Colossoma macropomum (Serrasalmidae). The influence of weight and temperature
 on the routine oxygen consumption 7(4): 433-443
- SAINT-PAUL, U. (1984): Investigations on the seasonal changes in the chemical
 composition of liver and condition from a Neotropical characoid fish
 Colossoma macropomum (Serrasalmidae) 9(1): 147-158
- SALATI, E., NOBRE, C.A. & A.A. DOS SANTOS (2001): Amazonian deforestation:
 Regional and global issues 16(3/4): 463-481
- SANTOS, G.M. DOS & M. JÉGU (1987): New occurrences for *Gnathodolus bidens*
 and *Synaptolaemus cingulatus* and descriptions of two new species of *Sartor*
 (Characiformes, Anostomidae). [in Portuguese] 10(2): 181-196
- SATTLER, W. (1968): Further notes on the eco-ethology of a Neotropical *Macronema*-
 larva (Hydropsychidae, Trichoptera). [in German] 1(3): 211-229
- SATTLER, W. & J. SYKORA (1977): On a strange Neotropical caddisfly, particularly
 due to its contraction instinct - *Leucotrichia brasiliiana* n.sp. (Trichoptera,
 Hydroptilidae). [in German] 6(2): 237-255
- SCHADEN, R. (1973): Short note on the species number of Rotatoria in the Amazon
 region. [in German] 4(3): 253-254
- SCHADEN, R. (1977): On the cyclomorphosis of some brachionids (Rotatoria) of
 Central Amazonia. [in German] 6(2): 257-266
- SCHADEN, R. (1977): Seasonal changes in the composition of the rotatorian stock
 of Lago de Castanho, Central Amazonia. [in German] 6(2): 267-273
- SCHADEN, R. (1978): On the diversity and identity of Amazonian Rotatoria zooms.
 [in German] 6(3): 347-371
- SCHADEN, R. & H. SIOLI (1972): Professor Dr. Heitor Grillo in memoriam.
 [in Portuguese] 3(2): 137-138
- SCHADEN, R. & H. SIOLI (1972): Professor Dr. Heitor Grillo in memoriam.
 [in German] 3(2): 139-140
- SCHALLER, F. (2001): On the glowing and preying behaviour of lampyrid and
 pyrophorine larvae (Coleoptera: Lampyridae, Elateridae): An open subject
 for future research in Amazonia. - Scientific note. 16(3/4): 483-486
- SCHALLER, F. (2004): Nachruf/Obituary Prof. Dr. Harald Felix Ludwig Sioli
 (1910-2004) 18(1/2): 163-168
- SCHALLER, F. (2005): ERRATUM: AMAZONIANA XVI(3/4): 483-486, 2001: 18(3/4): 405
- SCHARF, B.W., PIRRUNG, M., BOEHRER, B., BÜCHEL, G., FRIESE, K., KUSEL-
 FETZMANN, E., MAGES, M., TREUTLER, H.-C. & A. WITKOWSKI (2001):
 Limnogeological studies of maar lake Ranu Klindungan, East Java,
 Indonesia 16(3/4): 487-516
- SCHELLER, U. (1992): A study of Neotropical Symphyla (Myriapoda): list of species
 keys to genera and description of two new Amazonian species 12(2): 169-180
- SCHELLER, U. (1994): Pauropoda of a secondary forest near the Tarumã Mirim River,
 Amazonas, Brazil (Myriapoda, Pauropoda, Pauropodidae) 13(1/2): 65-130
- SCHELLER, U. (1997): Pauropoda from upland and inundation forests in Central
 Amazonia, Brazil (Myriapoda, Pauropoda: Millotaupropidae, Paupropodidae) 14(3/4): 223-300
- SCHELLER, U. (1999): The taxonomic composition and affinities of the Brazilian
 Pauropoda with description of three new species from Central Amazonia
 (Myriapoda, Pauropoda: Paupropodidae) 15(3/4): 169-182
- SCHELLER, U. (2002): Two new pauropod species from Central Amazonia
 (Myriapoda: Pauropoda: Paupropodidae) 17(1/2): 205-212

- SCHELLE, U.(2007): New records of Paupoda and Symphyla (Myriapoda) from Brazil with description of new species in *Allopauporus*, *Hansenella* and *Ribautiella* from the northern Pantanal wetland and from Mato Grosso of Brazil . . . 19(3/4): 63-75
- SCHELLE, U. & J. ADIS (1984): A new species of *Ribautiella* (Myriapoda, Symphyla, Scolopendrellidae) from an Amazonian black-water inundation forest and notes on its natural history and ecology 8(3): 299-310
- SCHLÜTER, U.-B. & B. FURCH (1987): Ecological and physiological investigations on *Eichhornia crassipes* (MART.) SOLMS. 1. The effect of different environmental conditions on the development of root colour 10(2): 163-171
- SCHLÜTER, U.-B. & B. FURCH (1992): Morphological, anatomical, and physiological investigations on the tolerance to flooding by the tree *Macrolobium acaciaefolium*, characteristic of the white- and blackwater inundation forest near Manaus, Amazonas. [in German] 12(1): 51-69
- SCHMIDT, G.W. (1968): On the problem of determination of the carbon dioxide in tropical waters poor in calcium. [in German] 1(4): 323-326
- SCHMIDT, G.W. (1970): Numbers of bacteria and algae and their interrelations in some Amazonian waters 2(4): 393-400
- SCHMIDT, G.W. (1972): Chemical properties of some waters in the tropical rain-forest region of Central-Amazonia along the new road Manaus - Caracarai 3(2): 199-207
- SCHMIDT, G.W. (1972): Amounts of suspended solids and dissolved substances in the middle reaches of the Amazon over the course of one year(August, 1969 - July, 1970) 3(2): 208-223
- SCHMIDT, G.W. (1973): Primary production of phytoplankton in the three types of Amazonian waters. I. Introduction 4(2): 135-138
- SCHMIDT, G.W. (1973): Primary production of phytoplankton in the three types of Amazonian waters. II. The limnology of a tropical flood-plain lake in Central Amazonia (Lago do Castanho) 4(2): 139-203
- SCHMIDT, G.W. (1973): Primary production of phytoplankton in the three types of Amazonian waters. III. Primary productivity of phytoplankton in a tropical flood-plain lake of Central Amazonia, Lago do Castanho, Amazonas, Brasil 4(4): 379-404
- SCHMIDT, G.W. (1976): Primary production of phytoplankton in the three types of Amazonian waters. IV. On the primary productivity of phytoplankton in a bay of the lower Rio Negro (Amazonas, Brazil) 5(4): 517-528
- SCHMIDT, G.W. (1982): Primary production of phytoplankton in the three types of Amazonian waters. V. Some investigations on the phytoplankton and its primary productivity in the clear water of the lower Rio Tapajós (Pará, Brazil) 7(3): 335-348
- SCHMIDT, G.W. & G. UHERKOVICH (1973): On the species richness of the phytoplankton in Amazonia. [in German] 4(3): 243-252
- SCHMIDT, J. (1984): Heavy metal analysis in *Hemidactylus mabouia* (Geckonidae) as a method to classify urban environmental quality. [in German] 9(1): 35-42
- SCHMIDT, L. (2001): Birthday letter to Harald SIOLI 16(3/4): 299-301
- SCHÖLLER, M. (2004): A new species in the formerly monotypic genus *Heptarthrius* SUFFRIAN (Chrysomelidae: Cryptocephalinae) 18(1/2): 145-149
- SCHREIBER, H. (1973): Radiation centers of sphingids (Lepidoptera) in the Neotropics. [in German] 4(3): 273-281
- SCHUBART, H. (1968): New Palaeacaroidea (Oribatei) from Amazonia (Arach., Acari). [in German] 1(3): 251-256
- SCHUBART, H. & L. BECK (1968): On the fauna of coleopterans from Amazonian soils. [in German] 1(4): 311-321

- SCHWAAR, J. (1979): The vegetation of the high peat bogs of Terra del Fuego.
[in German] 6(4): 601-609
- SCHWABE, G.H. (1968): Two remarkable nostocaceans from South America.
[in German] 1(4): 351-368
- SCHWABE, G.H. (1970): Two remarkable nostocaceans from South America II.
[in German] 2(3): 363-390
- SCHWARZBOLD, A. & A. SCHÄFER (1984): Origin and morphology of the coastal
lagoons of Rio Grande do Sul - Brazil. [in Portuguese] 9(1): 87-104
- SEIDENSCHWARZ, F. (1986): Comparison of riverside herb communities with weed
vegetation in the tropical lowlands of Peru. [in German] 10(1): 79-111
- SILVA, C.P.D. (1995): Community structure of fish in urban and natural streams
in the Central Amazon 13(3/4): 221-236
- SILVA, V.M.F. DA & R.C. BEST (1996): Freshwater dolphin/fisheries interaction
in the Central Amazon (Brazil) 14(1/2): 165-175
- SINGER, R. (1984): Adaptation of higher fungi to várzea conditions 8(3): 311-319
- SIOLI, H. (1965): The limnology and its importance in Amazonian research.
[in Portuguese] 1(1): 11-35
- SIOLI, H. (1965): Remark on the typology of Amazonian rivers. [in German] 1(1): 74-83
- SIOLI, H. (1968): Hydrochemistry and geology in the Brazilian Amazon region 1(3): 267-277
- SIOLI, H. (1968): Dr. Werner Sattler in memoriam 1(4): 283-286
- SIOLI, H. (1972): Dr. José Cândido de Melo Carvalho, new co-editor of
AMAZONIANA. [in Portuguese] 3(2): 133-134
- SIOLI, H. (1972): Dr. José Cândido de Melo Carvalho, new co-editor of
AMAZONIANA. [in German] 3(2): 135-136
- SIOLI, H. (1989): Dr. Hans KLINGE on his 60th birthday. [in German, Portuguese,
English] 11(1): i-vi
- SMITH, N.J.H. (2001): Land use dynamics in the Amazon estuary and implications
for natural resource management 16(3/4): 517-537
- SMITH, L.K., MELACK, J.M. & D.E. HAMMOND (2003): Carbon, nitrogen, and
phosphorus content and ^{210}Pb -derived burial rates in sediments of an
Amazon floodplain lake 17(3/4): 413-436
- SOARES, M.G.M., ALMEIDA, R.G. & W.J. JUNK (1986): The trophic status of the
fish fauna in Lago Camaleão, a macrophyte dominated floodplain lake in
the middle Amazon 9(4): 511-526
- SOBRAL, M., PAROLIN, P. & U. SAINT-PAUL (2003): Otolith microstructure
analysis for age determination of the Amazon characid *Triportheus*
albus 17(3/4): 437-449
- SOPHIA, M.G. & V.L.M. HUSZAR (1996): Planktonic desmids of three Amazonian
systems (Lake Batata, Lake Mussurá and Trombetas River), Pará, Brazil 14(1/2): 75-90
- SOUZA, D.C. DE, THOMAZ, S.M. & L.M. BINI (2002): Species richness and beta-
diversity of aquatic macrophytes assemblages in three floodplain tropical
lagoons: evaluating the effects of sampling size and depth gradients 17(1/2): 213-225
- STEFFAN, A.W. (1989): Announcement - Publications on Tropical Entomology 11(1): 117
- STEINER, G. (2001): Vignette 16(3/4): 283
- STERN, K.M. (1970): The Casiquiare-channel, now and once. [in German] 2(4): 401-416
- STURM, H. (1983): The soil fauna of the Andean Páramo region. [in German] 8(1): 129-147
- STURM, H. & J. ADIS (1984): Development and mating behaviour of Meinertellidae
(Machiloidea, Archaeognatha, Insecta) from the Central Amazon. [in German] 8(4): 447-473
- TAKIYA, D.M. & G. MEYDALANI (2002): On the Central and Western Amazonian
genus *Tacora* MELICHAR, 1926 (Hemiptera: Cicadellidae: Cicadellinae):
key to species and descriptions of three new taxa 17(1/2): 227-242

- TALLING, J.F. (1997): The Central Amazon floodplain. Ecology of a pulsing system.
 W.J. JUNK (ed.) - Book review 14(3/4): 353
- TEIXEIRA, A.S. & A. JAMIESON (1985): Genetic variation in plasma transferrins
 of tambaqui, *Colossoma macropomum* (CUVIER 1818) 9(2): 159-168
- THATCHER, V.E. (1986): The parasitic crustaceans of fishes from the Brazilian
 Amazon, 16. *Amazonicopeus elongatus* gen. et sp. nov. (Copepoda:
 Poecilostomatoida) with the proposal of Amazonicopeidae fam. nov. and
 remarks on its pathogenicity 10(1): 49-56
- THATCHER, V.E. (1988): *Asotana magnifica* n.sp. (Isopoda, Cymothoidae) an
 unusual parasite (commensal?) of the buccal cavities of piranhas
 (*Serrasalmus* sp.) from Roraima, Brazil 10(3): 239-248
- THATCHER, V.E. (1991): Amazon fish parasites 11(3/4): 263-571
- THATCHER, V.E. (1995): *Anphira xinguensis* sp. nov. (Isopoda, Cymothoidae) a
 gill chamber parasite of an Amazonian serrasalmid fish, *Ossobius xinguense*
 JÉGU, 1992 13(3/4): 293-303
- THATCHER, V.E. (1995): Comparative pleopod morphology of eleven species of
 parasitic isopods from Brazilian fish 13(3/4): 305-314
- THATCHER, V.E. (1996): *Braga amapaensis* n.sp. (Isopoda: Cymothoidae) a mouth
 cavity parasite of the Amazonian fish, *Acestrorhynchus guyanensis*
 MENEZES, with a redefinition of the genus *Braga* 14(1/2): 121-129
- THATCHER, V.E. (1996): A new genus and three new species of Monorchidae
 (Trematoda) from freshwater fish of Rondônia State, Brazil 14(1/2): 131-136
- THATCHER, V.E. (1997): Mouthpart morphology of six freshwater species of
 Cymothoidae (Isopoda) from Amazonian fish compared to that of three
 marine forms, with the proposal of Artystonae subfam. nov. 14(3/4): 311-322
- THATCHER, V.E. (1998): Description of adults of *Octospiniferoidea incognita*
 SCHMIDT & HUGGHINS, 1973 (Acanthocephala: Neoechinorhynchidae) from
 a fish of Rondônia State, Brazil 15(1/2): 51-55
- THATCHER, V.E. (2000): A new genus and species of amphistome parasite
 (Trematoda: Cladorchiidae) from a fish of Rondônia State, Brazil 16(1/2): 237-240
- THATCHER, V.E. (2000): *Perulernaea pirapitingae* n.sp. (Copepoda: Lernaeidae)
 a parasite of the serrasalmid fish, *Piaractus brachypomus* from the Meta
 River, Colombia 16(1/2): 249-257
- THATCHER, V.E. & W.A. BOEGER (1983): The parasitic crustaceans of fishes from
 the Brazilian Amazon. 10 - *Acusicola pellonidis* n.sp. (Copepoda:
 Cyclopidae) from *Pellona castelnaeana* (VALENCIENNES) 8(2): 273-279
- THATCHER, V.E. & W.A. BOEGER (1984): The parasitic crustaceans of fishes from
 the Brazilian Amazon. 13. *Gamidactylus jaraquensis* gen. et sp. nov.
 (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of
Semaprochilodus insignis (SCHOMBURGK) 8(3): 421-426
- THATCHER, V.E. & W.A. BOEGER (1984): The parasitic crustaceans of fishes from
 the Brazilian Amazon. 14. *Gamispinus diabolicus* gen. et spec. nov.
 (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of
Ageneiosus brevifilis VALENCIENNES 8(4): 505-510
- THATCHER, V.E. & W.A. BOEGER (1984): The parasitic crustaceans of fishes from
 the Brazilian Amazon. 15. *Gamispatulus schizodontis* gen. et sp. nov.
 (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of
Schizodon fasciatus AGASSIZ 9(1): 119-126
- THATCHER, V.E. & M.L. CARVALHO (1988): *Artystone minima* n.sp. (Isopoda,
 Cymothoidae) a body cavity parasite of the pencil fish (*Nannostomus*
beckfordi GUENTHER) from the Brazilian Amazon 10(3): 255-265

- THATCHER, V.E. & M. JÉGU (1996): Intestinal helminths as population markers of the Amazonian fish *Mylesinus paraschomburgkii*, with descriptions of five new genera and seven new species of trematodes 14(1/2): 143-155
- THATCHER, V.E. & M. JÉGU (1998): Amphistomes as species markers of the serrasalmid fish, *Myleus ternetzi* (NORMAN), from French Guiana, with descriptions of two new species and one new genus 15(1/2): 103-112
- THATCHER, V.E. & V. PAREDES (1985): A parasitic copepod, *Perulernaea gamitanae* gen. et sp. nov. (Caclopoida: Lernaeidae), from the nasal fossae of a Peruvian Amazon food fish 9(2): 169-175
- THATCHER, V.E. & V. PAREDES (1985): A parasitic copepod, *Amplexibranchius bryconis* gen. et sp. nov. (Ergasilidae: Acusicolinae), from an Amazonian fish and remarks on the importance of leg morphology in this subfamily 9(2): 205-214
- THATCHER, V.E. & I. SCHINDLER (1999): *Artystone bolivianensis* n.sp. (Isopoda, Cymothoidae) from a loricariid catfish of the Bolivian Amazon 15(3/4): 183-191
- THATCHER, V.E., BOEGER, W.A. & B.A. ROBERTSON (1984): The parasitic crustaceans of fishes from the Brazilian Amazon. 12. *Ergasilus hydrolicus* n.sp. (Copepoda: Poecilostomatida) from *Hydrolycus scomberoides* (CUVIER) 8(3): 321-326
- TORRES, D. & C.R. BEASLEY (2003): Pattern of use of a small bay in northern Brazil by *Sotalia guianensis* (Cetacea: Delphinidae) 17(3/4): 583-594
- TURNER, P.N. (1987): *Keratella* rotifers found in Brazil, and a survey of *Keratella* rotifers from the Neotropics 10(2): 223-236
- TUXEN, S.L. (1976): The Protura (Insecta) of Brazil, especially Amazonas 5(4): 417-463
- UHERKOVICH, G. (1976): Algae from the rivers Rio Negro and Rio Tapajós. [in German] 5(4): 465-515
- UHERKOVICH, G. (1981): Algae from some Amazonian waters. [in German] 7(2): 191-219
- UHERKOVICH, G. & M. FRANKEN (1980): Periphytic algae from Central Amazonian forest streams. [in German] 7(1): 49-79
- UHERKOVICH, G. & H. RAI (1979): Algae from the Rio Negro and its affluents. [in German] 6(4): 611-638
- UHERKOVICH, G. & G.W. SCHMIDT (1974): Phytoplankton taxa in the Central Amazonian alluvial lake Lago do Castanho. [in German] 5(2): 243-283
- VALDIVIA VILLAR, R.S. (1987): Studies of the Neotropical cladoceran fauna (Cladocera, Chydoridae): I. Redescription of *Dunhevedia odontoplax* SARS, 1901, from Peru. [in Spanish] 10(2): 137-147
- VALDIVIA VILLAR, R.S. (1988): Checklist of freshwater Cladocera from Perú. [in Spanish] 10(3): 283-297
- VALDIVIA VILLAR, R.S. & L. BURGER (1989): Description of *Daphniopsis marcahuasenensis* sp. nov. (Cladocera: Daphniidae) from Perú, with the inclusion of a key of the species of the genus. [in Spanish] 10(4): 439-452
- VAN BAAREN, J., DELEPORTE, P. & P. GRANDCOLAS (2002): Cockroaches in French Guiana Icteridae birds nests 17(1/2): 243-248
- VAN DER HAMMEN, T. (2001): Ice age tropical South America: What was it really like? - Scientific note 16(3/4): 647-652
- VANZOLINI, P.E. (2001): Temporal fluctuations in scale counts and body proportions of Amazonian riparian lizards (*Cnemidophorus*, *Sauria*, Teiidae) 16(3/4): 539-563
- VÁSQUEZ, E., PARDO, M.J., ZOPPI DE ROA, E. & C. LÓPEZ (1998): Rotifer fauna from Venezuela 15(1/2): 11-24
- VEGAS-VILARRÚBIA, T., PONCE, M.E., GÓMEZ & L. MORA (2007): Wetland vegetation of the lower Orinoco Delta plain (Venezuela): A preliminary approach 19(3/4): 35-61

- VIEIRA, M.F. & J. ADIS (1992): Abundance and biomass of *Paulinia acuminata* (DE GEER, 1773) (Orthoptera: Pauliniidae) in a várzea lake of Central Amazonia. [in Portuguese] 12(2): 337-352
- VIETS, K.O. (1974): On some water mites (Hydrachnella, Acari) from Brazil. [in German] 5(1): 61-65
- VIETS, K.O. (1975): *Koenikea*-species (Acari, Hydrachnella) from the Amazon region. [in German] 5(3): 305-336
- VOHLAND, K. (1998): Review of the millipede subfamily Amphilinae (Diplopoda, Polydesmida, Aphelidesmidae) with remarks on phylogeny and the description of some new South American genera and species 15(1/2): 129-163
- VOLKMER-RIBEIRO, C. (1970): *Oncosclera* - a new genus of freshwater sponges (Porifera - Spongillidae) with redescription of two species 2(4): 435-442
- VOLKMER-RIBEIRO, C. (1979): Evolutionary study of the genus *Metania* GRAY, 1867 (Porifera - Spongillidae) I. The new species 6(4): 639-649
- VOLKMER-RIBEIRO, C. (1984): Evolutionary study of the genus *Metania* GRAY, 1867 (Porifera - Spongillidae) II. Redescription of two Neotropical species 8(4): 541-553
- VOLKMER-RIBEIRO, C. (1986): Evolutionary study of the freshwater sponge genus *Metania* GRAY, 1867: III. Metaniidae, new family 9(4): 493-509
- VOLKMER-RIBEIRO, C. (1992): The freshwater sponges in some peat-bog ponds in Brazil 12(2): 317-335
- VOLKMER-RIBEIRO, C. & S. BECKER MACIEL (1983): New freshwater sponges from Amazonian waters 8(2): 255-264
- VOLKMER-RIBEIRO, C. & P.R.C. COSTA (1992): On *Metania spinata* (CARTER, 1881) and *Metania kiliani* n.sp.: Porifera, Metaniidae 12(1): 7-16
- VOLKMER-RIBEIRO, C. & R. DE ROSA-BARBOSA (1974): A freshwater sponge-mollusk association in Amazonian waters 5(2): 285-291
- WALDHOFF, D. (2003): Leaf structure in trees of Central Amazonian floodplain forests (Brazil) 17(3/4): 451-469
- WALDHOFF, D. & B. FURCH (2002): Leaf morphology and anatomy in eleven tree species from Central Amazonian floodplains (Brazil) 17(1/2): 79-94
- WALKER, I. (1986): Experiments on colonization of small water bodies by Culicidae and Chironomidae as a function of decomposing plant substrates and their implications for natural Amazonian ecosystems 10(1): 113-125
- WALKER, I. (1992): The benthic litter habitat with its sediments load in the inundation forest of the Central Amazonian blackwater river Tarumã Mirim 12(2): 143-153
- WALKER, I. (1995): Sedimentation in the inundation forest flanking the Central Amazonian blackwater stream Rio Tarumã Mirim (Manaus, Amazonas State) 13(3/4): 237-243
- WALKER, I. (2001): The pattern of distribution of the two sibling species *Euryrhynchus amazoniensis* and *E. burchelli* (Decapoda, Palaemonidae) in the Central Amazonian blackwater stream Tarumã-Mirim, and the problem of coexistence 16(3/4): 565-578
- WALKER, I. (2003): The benthic insect fauna of the blackwater forest stream Rio Tarumã-Mirim (Manaus, Amazonas): patterns of population dynamics and their implications for ecosystem stability 17(3/4): 471-480
- WANTZEN, K.M. (2003): Cerrado streams - characteristics of a threatened freshwater ecosystem type on the Tertiary Shields of Central South America 17(3/4): 481-502
- WANTZEN, K.M., ROSA, F.R., NEVES, C.O. & C. NUNES DA CUNHA (2005): Leaf litter addition experiments in riparian ponds with different connectivity to a Cerrado stream in Mato Grosso, Brazil 18(3/4): 387-396

- WERDER, U. (1983): Age determination by scale analysis in juvenile matrinchã (*Brycon cf. melanopterus* MÜLLER & TROSCHEL, Teleostei: Characoidei) a tropical characin from the Central Amazon 7(4): 445-464
- WERDER, U. (1984): Erratum AMAZONIANA 7(4), 445-464, 1983; Age determination by scale analysis in juvenile Matrinchã (*Brycon cf. melanopterus* MÜLLER & TROSCHEL, Teleostei: Characoidei) a tropical characin from the Central Amazon 8(3): 427
- WERDER, U. & G.M. SOARES (1984): Age determination by sclerite numbers, and scale variations in six fish species from the Central Amazon (Osteichthyes, Characoidei) 8(3): 395-420
- WIEBACH, F. (1967): Amazonian bryozoans (Bryozoa). I. [in German] 1(2): 173-187
- WIEBACH, F. (1970): Amazonian bryozoans (Bryozoa). II. [in German] 2(3): 353-362
- WIEBACH, F. (1974): Amazonian bryozoans (Bryozoa). III. [in German] 5(2): 293-303
- WIEDENBRUG, S. & R. OSPINA-TORRES (2005): A key to pupal exuviae of Neotropical Tanytarsini (Diptera: Chironomidae) 18(3/4): 317-371
- WIRTH, W.W. & F.S. BLANTON (1973): A review of the maruins or biting midges of the genus *Culicoides* (Diptera: Ceratopogonidae) in the Amazon Basin 4(4): 405-470
- WOLF, A. (1990): Observations on the vegetation of some shallow lakes near the mouth of the Rio Ypané, Paraguay. [in German] 11(2): 167-184
- WORBES, M. (1983): Studies on the vegetation of two inundation forests in Central Amazonia - preliminary results. [in German] 8(1): 47-65
- WORBES, M. (1985): Structural and other adaptation to long-term flooding by trees in Central Amazonia 9(3): 459-484
- WORTHMANN, H.O. (1983): A comparative study of the growth of the postlarval and juvenile pescadas *Plagioscion squamosissimus* (HECKEL) and *Plagioscion monti* (SOARES) in a white water lake of the Central Amazon 7(4): 465-477
- WORTHMANN, H.O. (1992): Aspects of the reproduction of two sciaenid species, the pescadas *Plagioscion squamosissimus* HECKEL 1864) and *Plagioscion monti* (SOARES 1979), Pisces, in different water types of the Central Amazon. [in German] 12(1): 17-28
- WUNDERLE, I. (1992): Arboricolous and edaphic Oribatei (Acari) in the lowland rain forest of Panguana, Peru. [in German] 12(1): 119-142
- YANO, O. (1982): Occurrence of *Leucophanes* (Leucobryaceae, Bryopsida) in Brazilian Amazonia. [in Portuguese] 7(3): 349-354
- ZALESSKAJA, N.T. (1994): The centipede genus *Lamyctes* MEINERT, 1868, in the environs of Manaus, Central Amazonia, Brazil (Chilopoda, Lithobiomorpha, Henicopidae) 13(1/2): 59-64
- ZERM, M. (2002): On biology and survival strategy of tiger beetles of open habitats in Central Amazonian floodplains (Col.: Carabidae: Cicindelinae) (Brazil). [in German] 17(1/2): 249-282
- ZERM, M. & J. ADIS (2003): Survival strategy of the bombardier beetle, *Pheropsophus rivieri* (Col.: Carabidae) in a Central Amazonian blackwater floodplain (Brazil) 17(3/4): 503-508
- ZIECHMANN, W. (1976): Humic substances in South American river systems. [in German] 6(1): 135-144
- ZOMPRO, O. (2003): *Prisopus wolfgangjunki* n.sp., a new species of *Prisopus* ST. FARGENAU & AUDINET SERVILLE, 1827, from Brazil (Phasmatodea: Prisopodidae) 17(3/4): 509-511
- ZOMPRO, O. & I. FRITZSCHE (1999): *Lucihormetica senestrata* n.gen., n.sp., the first record of luminescence in an orthopteroid insect (Dictyoptera: Blaberidae: Blaberinae: Brachycolini) 15(3/4): 211-219

